



# DECK LOG BOOK

OF THE

U.S.S. ABBOT

DD-629

IDENTIFICATION NUMBER

COMMANDED BY

A. H. CRAIG, U. S. N.

Attached to { \_\_\_\_\_ Division,  
 \_\_\_\_\_ Squadron,  
 \_\_\_\_\_ Flotilla,  
 \_\_\_\_\_ Fleet,  
 \_\_\_\_\_ Naval District,

Commencing 0001, 1 Oct., 19 61,  
(zone time and date)

at Newport, Rhode Island  
(location)

and ending 2400, 31 Oct., 1961,  
(zone time and date)

at Newport Rhode Island  
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



NAVPERs 720 (Rev. 4-56)

### ADDITIONAL REMARKS

UNITED STATES SHIP

ABBOT (DD-629)

31  
1 OCTOBER, 1961  
(Day) (Date) (Month)

WEATHER OBSERVATIONS

[illegible][illegible]

**APPROVED:**

**EXAMINED:**

U.S.N. COMMANDING

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&PO 8231



## DECK LOG SHEET - TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +4 9 DATE SUNDAY 1 OCTOBER, 19 61  
AT/PASSAGE FROM BERTH 141, U.S. NAVAL STATION, NEWPORT R.I.

## WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES		POSITION	ZONE	TIME
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)			
01	180	2	7	Sct	30.31	61	56									
02	180	3	7	BKN	30.30	60	55									
03	175	3	7	BKN	30.30	59	54									
04	175	2	7	Sct	30.30	59	54									
05	175	2	7	Sct	30.30	58	54									
06	175	4	7	Sct	30.29	58	54									
07	170	4	8	Sct	30.29	59	55									
08	173	4	8	Sct	30.29	60	56									
09	174	5	8	Sct	30.28	60	56									
10	170	3	8	Sct	30.28	62	58									
11	170	3	7	Sct	30.28	64	60									
12	170	5	7	Sct	30.28	67	63									
13	165	4	7	BKN	30.28	71	66									
14	167	3	6	Sct	30.28	73	68									
15	168	2	6	BKN	30.28	73	68									
16	170	4	6	BKN	30.28	72	68									
17	167	5	6	BKN	30.27	69	65									
18	165	5	6	BKN	30.27	68	64									
19	165	4	6	BKN	30.26	68	64									
20	167	4	5	NC	30.26	67	63									
21	169	2	5	NC	30.25	67	63									
22	175	2	7	NC	30.24	66	62									
23	177	3	7	Sct	30.24	66	62									
24	180	5	8	CLR	30.23	65	61									

LEGEND: 1 - CELESTIAL  
2 - ELECTRONIC  
3 - VISUAL  
4 - D. R.

CURRENT DATA  
FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
SET \_\_\_\_\_  
DRIFT \_\_\_\_\_  
POSITION BETWEEN FIXES  
MID. L \_\_\_\_\_  
MID. A \_\_\_\_\_

MILES STEAMED  
0000-2400  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

FUEL CONSUMED  
0000-2400  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

## REMARKS

00-04 Moored port side to pier 1, berth 141, U.S. Naval Station, Newport, R.I., in a nest of two ships, with standard destroyer lines doubled and storm lines out forward and aft. USS BROWNSON (DD 868) is moored outboard to starboard. Receiving miscellaneous services from the pier. Condition of readiness 1 and material condition YOKO are set. SOPA is COMDESDFUGRU TWO in USS GLENNON (DD 840). Ships present include various units of the US Atlantic Fleet and harbor craft.

*Phillips*  
LT USN

04-08 Moored as before.

*Phillips*  
LT USN

APPROVED:

EXAMINED:

U.S.N. COMMANDING

U.S.N. NAVIGATOR



## ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629)SUN 1 OCT 61  
(Day) (Date) (Month)

08-12 Moored as before. 0800 Mustered the crew on stations; Absentees: PHILLIPS R.V. 9267623, BM3, USN, UA since 0730 this date. 0922 PHILLIPS, R.V. 9267623, BM3, USN, returned aboard UA since 0730 this date. 1000 Made daily inspection of magazines and smokeless powder samples; conditions normal.

*J. Phillips*  
LT USN

12-16 Moored as before. 1250 RADM C. B. WEAKELEY, USN, COMDESLANT, returned to area, broke his flag in USS YOSBMITG (AP 19) and assumed duties SOFA.

*J. Phillips*  
LT USN

16-20 Moored as before. 1726 USS HAZELWOOD (DD 531) stood in and moored alongside USS BROWNSON (DD 868).

*J. Phillips*  
LT USN

20-24 Moored as before.

*J. Phillips*  
LT USN

APPROVED:

*A. W. Craig*

U.S.N. COMMANDING

EXAMINED:

*Robinson*

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&amp;PO 8231



## DECK LOG SHEET - TYPE B

USS

ABBOT (DDG 629)

ZONE DESCRIPTION

+ 4 Q

DATE

MONDAY 2

OCTOBER, 19

61

AT/PASSAGE FROM

BERTH 141, U.S. NAVAL STATION, NEWPORT, R. I.

## WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES		POSITION	ZONE	TIME	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)				
01	180	4	7	ScT	30.22	65	61										
02	200	1	7	BKN	30.17	66	62										
03	190	2	7	BKN	30.17	66	62										
04	180	2	5	BKN	30.15	65	62										
05	190	2	5	VC	30.15	65	62										
06	195	2	5	VC	30.15	65	62										
07	195	2	5	VC	30.15	65	62										
08	195	1	5	VC	30.16	66	63										
09	205	2	5	VC	30.15	65	62										
10	225	3	5	VC	30.15	66	63										
11	248	1	5	VC	30.15	66	63										
12	275	2	4	VC	30.15	71	68										
13	250	3	4	VC	30.13	69	66										
14	200	2	4	VC	30.11	70	67										
15	160	1	5	VC	30.08	71	68										
16	180	6	6	VC	30.09	72	69										
17	190	5	5	VC	30.08	72	69										
18	190	3	3	VC	30.07	72	69										
19	145	5	2	Fog	30.06	71	69										
20	045	5	2	Fog	30.05	70	68										
21	090	5	2	Fog	30.04	70	68										
22	050	4	2	Fog	30.03	70	68										
23	050	2	3	Fog	30.01	70	68										
24	070	2	2	Fog	30.00	72	70										

LEGEND: 1 - CELESTIAL  
2 - ELECTRONIC  
3 - VISUAL  
4 - D. R.

CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

SET \_\_\_\_\_

DRIFT \_\_\_\_\_

POSITION BETWEEN FIXES

MID. L \_\_\_\_\_

MID. A \_\_\_\_\_

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

## REMARKS

00-04 Moored port side to berth 141, U.S. Naval Station, Newport R.I., in a nest of three ships, with standard destroyer lines doubled and steam lines forward and aft USS BROOKSON (DD 868) and USS HAZELWOOD (DD 531) moored outboard to starboard. Receiving miscellaneous services from the pier. Condition of readiness I and material condition YOKB (AD 19). Ships present include various units of the U.S. Atlantic Fleet and harbor craft.

J. Phillips  
LT USN

04-08 Moored as before 0745 Mustered the crew on stations; absentees: SEHL, R.E. 5858914, FA, USN, UA since 0730 this date.

APPROVED:

EXAMINED:

J. Phillips  
LT USN

U.S.N. COMMANDING

U.S.N. NAVIGATOR



## ADDITIONAL REMARKS

UNITED STATES SHIP

ABBOT DD629

MON. 2 OCT 61

(Day)

(Date)

(Month)

10

08-12 Moored as before. 0824 USS BROWNSON AND USS HAZERWOOD underway from west. 0925 Made daily inspection of magazines and smokeless powder samples conditions normal. 1030 Commenced making preparations to get underway. Set the Special Sea and Anchor detail. 1042 Captain and Navigator on the bridge. 1123 Underway in accordance with DESANT ENGINEERING SCHOOL operation schedule (underway phase) Manoeuvring on various courses and speeds while clearing berth and standing into channel. 1135 Commenced manoeuvring on various courses at various speeds while standing out channel. 1144 Rose Island light ahead to port at 500 yards. 1150 Buoy #11 ahead to starboard at 100 yards. 1157 Castle Hill light ahead to port at 350 yards.

B. F. Bremer  
Ltjg USN

12-16 Steaming as before. 1211 C/C 180 C/S 15 knots. 1212 Denton Reef Lightship ahead to starboard at 300 yards. 1221 Secured the Special Sea and Anchor detail. 1230 C/C 090 1236 Commenced shuffler drills for engineering students manoeuvring at various engine speeds. 1254 C/C 270 1327 C/C 355 1337 C/C 000 1358 C/C 090 1402 C/C 190 1408 C/C 000 1424 Captain has the Conn. Set the Special Sea and Anchor detail. Engineering drills completed. 1437 C/S 10 knots. 1438 Castle Hill light ahead to starboard. Commenced manoeuvring on various courses and speeds to conform with channel. 1444 Buoy #11 ahead to port. 1448 Rose Island light ahead to starboard at 400 yards. 1500 Commenced approach on pier #1. Manoeuvring at various courses and speeds in taking berth assigned. 1511 Moored portside to the USS Wadleigh (DD 689) in berth 142 pier #1 US Naval Base, Newport, R.I. with standard detroyer mooring line doubled. 1515 Secured the Special sea and anchor detail. 1542 USS HAZERWOOD (DD 531)

also moved alongside in berth 143

B. F. Bremer  
Ltjg USN

16-20 Moored as before.

B. F. Bremer  
Ltjg USN

20-24 Moored as before.

B. F. Bremer  
Ltjg USN

APPROVED:

A. H. Craig

U.S.N. COMMANDING

EXAMINED:

Roburn

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&amp;PO 8231



## DECK LOG SHEET - TYPE B

YJHO 320 JAIC1740 807

3ND-P&amp;PO 8231

USS ABBOT ZONE DESCRIPTION +4(Q) DATE TUE 3 OCT 19 61  
 BERTH 141, PIER #1  
 AT/PASSAGE FROM U.S. NAVAL BASE NEWPORT, R.I.

## WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES		POSITION	ZONE	TIME	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)				
01	170	2	2	Rain	29.95	72	70										
02	170	5	2	Rain	29.90	71	68										
03	170	2	2	Rain	29.87	69	67										
04	170	3	2	Rain	29.85	67	65										
05	170	3	2	Rain	29.83	64	62										
06	085	6	2	Rain	29.81	62	60										
07	085	6	3	Rain	29.80	63	61										
08	040	6	3	Rain	29.84	65	64										
09	040	6	3	Rain	29.84	65	64										
10	150	6	3	OVC	29.83	65	64										
11	035	8	3	OVC	29.83	65	63										
12	010	10	3	Rain	29.82	66	64										
13	000	10	3	OVC	29.80	66	64										
14	010	10	3	OVC	29.78	66	65										
15	025	11	4	Rain	29.76	66	65										
16	025	3	3	Rain	29.75	66	64										
17	030	3	3	Rain	29.74	66	63										
18	030	4	3	OVC	29.72	70	64										
19	050	2	2	Rain	29.73	68	64										
20	049	2	2	Rain	29.72	70	67										
21	055	2	2	Rain	29.71	68	65										
22	120	2	2	Rain	29.71	68	65										
23	121	2	2	Rain	29.71	68	65										
24	200	2	2	Rain	29.70	69	66										

LEGEND: 1 - CELESTIAL  
 2 - ELECTRONIC  
 3 - VISUAL  
 4 - D. R.

## CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
 TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
 SET \_\_\_\_\_  
 DRIFT \_\_\_\_\_  
 POSITION BETWEEN FIXES  
 MID. L \_\_\_\_\_  
 MID. A \_\_\_\_\_

MILES STEAMED  
 0000-2400

FUEL CONSUMED  
 0000-2400

## REMARKS

00-04 Moored portside to the USS WADLEIGH DD689 in a nest of three destroyers at berth 142, pier 1, U.S. NAVAL Base, NEWPORT, R.I. with standard destroyer mooring line doubled. USS HAZARDUS<sup>(DD531)</sup> moored alongside to starboard. Readiness condition five and material condition Yoke are set. Ships present include various units of the U.S. ATLANTIC FLEET and various harbor and destruct craft. SOPA is COMDESLANT in the USS YOSEMITE (AD19)

BT Greener  
 Ltjg USN.

04-08 Moored as before. Mustered the crew at quarters, absentees; none.

BT Greener  
 Ltjg USN.

APPROVED:

EXAMINED:

U.S.N. COMMANDING

U.S.N. NAVIGATOR



## ADDITIONAL REMARKS

UNITED STATES SHIP

ABBOT (DD-629)

Tuesday

3

Oct.

1961

(Day)

(Date)

(Month)

08-12

Moored as before. 0802 U.S.S. Hagelwood (DD-531) underway from west. 0910 Made daily inspection of magazine and smokeless powder samples. Conditions normal. 1030 Set the special sea and anchor detail. 1043 Captain and Navigator on the bridge. 1100 Underway in accordance with Deshant Engineering School Operation Schedule. (Underway phase) Maneuvering on various courses and speeds while clearing beach and standing into channel. 1119 Maneuvering on various courses and speeds while proceeding out channel. 1127 Rose Island light abeam to port 500 yards. 1131 Buoy #11 abeam to starboard. 1136 Castle Hill light abeam to port. 1140 Secured the special sea and anchor detail. 1146 Brenton Reef Lightship abeam to starboard at 400 yards. 1146 c/c 180°T. c/s 15 kts.

E. J. Gallagher  
Ens. USNR

12-16

Steaming as before. 1202 c/c 090°T. 1230 Maneuvering at various speeds while conducting engineering casualty drills for embarked engineering students. 1414 1310 c/c 270°T. 1414 Set special sea and anchor detail. 1416 c/c 002°T. 1417 Brenton Reef Lightship abeam to port. 1414 Captain has the conn, navigator is on the bridge. 1425 Maneuvering on various courses and speeds to conform with channel. 1426 Castle Hill abeam to starboard, 400 yds. 1431 Buoy #11 abeam to port 300 yds. 1434 Rose Island light abeam to starboard 400 yards. 1450 Maneuvering at various courses and speeds while mooring. 1454 Moored port side to USS Wadleigh (DD-689) in Berth 142 at Pier 1, U.S. Naval Base, Newport, R.I. with standard dewatering mooring lines, doubled. 1500 Secured the special sea and anchor detail.

E. J. Gallagher  
Ens. USNR

16-20

Moored as before. 1619 USS Hagelwood (DD-531) moored alongside to starboard.

E. J. Gallagher  
Ens. USNR

20-24

Moored as before.

E. J. Gallagher  
Ens. USNR

APPROVED:

EXAMINED:

A. H. Craig

U.S.N. COMMANDING

Robert L. St. John

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&amp;PO 8231



## DECK LOG SHEET - TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION Q +4 DATE Wednesday 4 Oct, 19 61  
 AT/PASSAGE FROM Berth 142 Pier 1 U. S. Naval Base, Newport, R.I.

## WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	300	2	2	RAIN	29.67	65	62						
02	320	2	2	RAIN	29.65	66	63						
03	310	4	3	RAIN	29.60	65	63						
04	266	3	3	FOG	29.64	64	62						
05	256	3	2	FOG	29.64	63	61						
06	256	8	4	OVC	29.64	60	58						
07	030	12	4	OVC	29.64	60	57						
08	045	12	4	OVC	29.65	58	55						
09	040	4	4	OVC	29.70	57	54						
10	000	2	4	OVC	29.72	56	54						
11	000	5	5	OVC	29.70	56	54						
12	000	5	5	OVC	29.70	56	54						
13	355	10	5	OVC	29.71	56	54						
14	350	11	6	OVC	29.72	57	54						
15	350	10	6	OVC	29.72	57	54						
16	320	8	5	OVC	29.73	62	56						
17	335	8	5	OVC	29.75	60	53						
18	285	9	5	OVC	29.77	61	56						
19	265	10	6	OVC	29.80	60	55						
20	275	4	6	OVC	29.83	58	53						
21	300	6	6	OVC	29.85	56	51						
22	300	11	6	OVC	29.87	57	48						
23	300	12	6	OVC	29.91	52	46						
24	301	12	7	BKN	29.94	57	44						

POSITION ZONE TIME

0800 L 4 BY h

1200 L D BY 04x

2000 L 04x BY 04x

LEGEND: 1 - CELESTIAL  
2 - ELECTRONIC  
3 - VISUAL  
4 - D. R.

CURRENT DATA

FROM                      (ZT) (Date)

TO                      (ZT) (Date)

SET                     

DRIFT                     

POSITION BETWEEN FIXES

MID. L                     

MID.  $\lambda$                      

MILES STEAMED 0000-2400                     

FUEL CONSUMED 0000-2400

## REMARKS

00-04 Moored port side to U.S.S. Wadleigh (DD-689) in Berth 142 at Pier 1, U.S. Naval Base, Newport, R.I., with standard destroyer mooring line, doubled. U.S.S. Hazelwood (DD-531) is moored alongside to starboard. This ship receiving fresh water and utilities from the pier. Generator #2 and Boiler #4 are on the line. Condition of readiness I and material condition Yoke are set. Ships present include various units of U.S. Atlantic fleet and local service craft. SOPA is ComDesant aboard U.S.S. Yosemite (AD-19)

E. J. Gallagher  
Ens. USNR

04-08 Moored as before. 0745 Mustered the crew on station at foul EJB weather parade. Unauthorized absentees: Albion, D.L. 521 43 26, MMS, USN, since 0730 this date.

E. J. Gallagher  
Ens. USNR

APPROVED:

EXAMINED:

U.S.N. COMMANDING

U.S.N. NAVIGATOR



## ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629)WED 4 OCT 61  
(Day) (Date) (Month)

08-12 Moored as before. 0800 USS HAZELWOOD (DD 531) got underway from the west. 0900 ALBIN, D.L. 5214326, MM3 C USN returned aboard UA since 0730 this date. 0940 USS COMPTON (DD 705) moored alongside to starboard. 1000 Made daily inspection of magazines and smokeless powder samples; conditions normal. 1000 Commenced preparations for getting underway. Set material condition YOKB. 1020 USS COMPTON (DD 705) got underway from alongside and shifted berths. 1030 Stationed the special sea detail. 1050 Completed all preparations for getting underway. Draft: forward 13' 7", aft 13' 7". 1105 Underway for local OPAREA in compliance with DESLANT ENGINEERING SCHOOL OPSKED (Underway Phase). Maneuvering at various courses and speeds to clear berth and stand out the channel. 1123 Passed Rose Island Light abeam to port, distance 500 yds. 1130 Passed Castle Hill Light abeam to port, distance 400 yards. 1141 Passed Breton Reef Lightship abeam to starboard, distance 300 yards. Secured the special sea detail. 1143 Using various courses and speeds while conducting engineering drills in assigned C OPAREA.

*J. M. Phillips*  
LT USN

12-16 Steaming as before. 141345 Commenced preparations for entering port. 1414 Captain at the Conn. 1415 Completed all preparations for entering port. Navigator on the bridge. 1416 Set the special sea detail. 1418 Maneuvering at various courses and speeds to conform with channel. 1421 Passed Breton Reef Lightship abeam to port, distance 300 yds. 1431 Passed Castle Hill Light abeam to starboard, distance 400 yds. 1439 Passed Rose Island Light abeam to starboard, distance 400 yds. 1450 Using various courses and speeds to moor. 1456 Moored port side to USS WADLEIGH (DD 687) at berth 142, pier 1, U.S. Naval Base, Newport, R.I. with standard destroyer mooring lines doubled. 1507 Secured the special sea detail.

*J. M. Phillips*  
LT USN

16-20 Moored as before.

*J. M. Phillips*  
LT USN

20-24 Moored as before.

*J. M. Phillips*  
LT USN

APPROVED:

EXAMINED:

*A. W. Craig*

U.S.N. COMMANDING

*Robert L. H. G.*

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&amp;PO 8231



## DECK LOG SHEET - TYPE B

YJND 32U JA10170 807

(32-P-100) 3ND-P&amp;PO 8231

USS ABBOT (DD 624) ZONE DESCRIPTION +4 Q DATE THURSDAY 5 OCTOBER, 19 61  
 (Day) (Date) (Month)

AT/PASSAGE FROM BERTH 142, PIER 1, U.S. NAVAL BASE, NEWPORT, R.I.

## WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES		POSITION	ZONE	TIME	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)				
01	303	8	6	BKN	29.96	49	43										
02	303	7	6	BKN	29.97	41	36										
03	302	7	6	BKN	30.00	43	37										
04	284	10	6	BKN	30.00	44	38										
05	286	13	6	BKN	30.00	42	37										
06	336	11	7	BKN	30.04	41	36										
07	358	8	7	ScT	30.08	40	35										
08	360	5	7	ScT	30.10	42	37										
09	330	5	8	ScT	30.10	45	40										
10	330	9	8	ScT	30.11	48	43										
11	345	9	8	CLR	30.11	54	49										
12	355	5	8	CLR	30.11	57	52										
13	355	5	8	CLR	30.11	57	52										
14	350	5	8	CLR	30.10	61	56										
15	300	2	8	CLR	30.10	63	58										
16	340	4	8	CLR	30.11	61	56										
17	295	4	8	CLR	30.10	60	55										
18	300	5	8	CLR	30.10	60	55										
19	300	5	8	CLR	30.10	59	54										
20	309	5	8	CLR	30.10	57	52										
21	309	5	8	CLR	30.11	56	52										
22	308	5	8	CLR	30.11	56	52										
23	320	5	8	CLR	30.11	56	52										
24	300	9	8	CLR	30.10	57	53										

LEGEND: 1 - CELESTIAL  
2 - ELECTRONIC  
3 - VISUAL  
4 - D. R.

CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

SET \_\_\_\_\_  
DRIFT \_\_\_\_\_

POSITION BETWEEN FIXES

MID. L \_\_\_\_\_  
MID. A \_\_\_\_\_

MILES STEAMED 0000-2400 \_\_\_\_\_

FUEL CONSUMED 0000-2400 \_\_\_\_\_

## REMARKS

06-04 Moored port side to USS WADLEIGH (DD 689), berth 142, pier 1, U.S. Naval Base, Newport R.I., with standard destroyer mooring lines doubled. Receiving fresh water and telephone service from the Pier Boiler #4 and generator #2 are in use for auxiliary purposes. Condition of readiness and material condition YOKO are set. Ships present include various units of the U.S. Atlantic fleet and harbor craft. SOPA is COMDESLANT in USS YOSEMITE (AD 19).

*J. H. Sullivan*  
LT USN

04-08 Moored as before. 0745 Mustered the crew at quarters; no unauthorized absences.

*J. H. Sullivan*  
LT USN

APPROVED:

EXAMINED:

NOTADIVAN H.S.U.

DETHAMMO H.S.U.

U.S.N. COMMANDING

U.S.N. NAVIGATOR



## ADDITIONAL REMARKS

UNITED STATES SHIP Abbot (DD-629)THURSDAY 5 OCT 1961  
(Day) (Date) (Month)

08-12 Moored as before. 0950 Made daily inspection of magazines and smokeless powder samples. CONDITIONS NORMAL.

C. F. Egan  
Ensign USNR

12-16 Moored as before. 1350 Received YTB 217, YTB 175 and YTB 272 alongside to Starboard. Pilot, R. H. DONELL, came aboard. 1355. Commenced broadcasting out by tug. 1447 Moored port side to USS WADLEIGH in a nest of three ships at berth 143, U.S. Naval Base, Newport, R.I. Ships outboard from the pier are: USS HUGH PURVIS (DD 709) USS WADLEIGH (DD 689) and USS ABBOT. 1457 All tugs clear from alongside. 1458 Pilot left the ship. Received YO 248 alongside to starboard. 1514 Commenced receiving fuel.

C. F. Egan  
Ensign USNR

16-20 Moored as before. 1615 Secured from taking on fuel, having received 38,561 gallons. 1629 YO 248 clear from alongside shifted to shore power. 1807 Secured #4 boiler.

C. F. Egan  
Ensign USNR

20-24 Moored as before.

C. F. Egan  
Ensign USNR

APPROVED:

EXAMINED:

A. W. Lang

U.S.N. COMMANDING

John L. TG

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&amp;PO 8231



## DECK LOG SHEET - TYPE B

USS Abbot (DD-29) ZONE DESCRIPTION +4 9 DATE FRIDAY 6 Oct 19 61  
AT/PASSAGE FROM BETH H. 3, Pier 1, U.S. Naval Base, Newport, R.I.

## WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	300	9	8	CLR	30.07	58	52						
02	295	7	8	CLR	30.08	59	54						
03	295	6	7	SET	30.09	60	56						
04	310	3	7	BKN	30.12	60	56						
05	310	3	7	BKN	30.14	59	55						
06	200	3	7	BKN	30.12	58	54						
07	200	2	7	BKN	30.12	59	55						
08	274	3	7	SET	30.11	58	54						
09	275	2	8	SET	30.12	58	54						
10	270	1	8	SET	30.11	62	56						
11	274	2	8	SET	30.10	65	57						
12	275	8	8	SET	30.09	66	60						
13	275	5	8	SET	30.07	68	62						
14	275	5	8	SET	30.08	68	62						
15	275	9	8	SET	30.07	68	62						
16	275	10	8	SET	30.08	68	62						
17	275	6	7	SET	30.08	65	61						
18	275	6	7	SET	30.07	65	61						
19	275	6	7	SET	30.07	65	61						
20	275	6	6	SET	30.08	65	61						
21	275	6	6	BKN	30.08	64	61						
22	275	6	5	BKN	30.09	63	60						
23	275	6	5	SET	30.10	62	59						
24	275	2	5	BKN	30.10	62	59						

POSITION ZONE TIME

0800 L \_\_\_\_\_ BY \_\_\_\_\_

λ \_\_\_\_\_ BY \_\_\_\_\_

1200 L \_\_\_\_\_ BY \_\_\_\_\_

λ \_\_\_\_\_ BY \_\_\_\_\_

2000 L \_\_\_\_\_ BY \_\_\_\_\_

λ \_\_\_\_\_ BY \_\_\_\_\_

LEGEND: 1 - CELESTIAL  
2 - ELECTRONIC  
3 - VISUAL  
4 - D. R.

CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

SET \_\_\_\_\_

DRIFT \_\_\_\_\_

POSITION BETWEEN FIXES

MID. L \_\_\_\_\_

MID. λ \_\_\_\_\_

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

## REMARKS

00-04 Moored Port side to USS WADLEIGH (DD-689) IN A NECK OF THREE SHIPS. USING STANDARD DESTROYER MOORING LINES DOUBLED. SHIPS OUTBOARD FROM THE PIER ARE: USS HUGH PURVIS, DD-709, USS WADLEIGH, AND USS ABBOT.

THIS SHIP IS RECEIVING ALL UTILITIES FROM THE PIER. CONDITION OF READINESS FIVE AND MODIFIED MATERIAL CONDITION YOKS ARE SET. OTHER SHIPS PRESENT INCLUDES UNITS OF THE U.S. ATLANTIC FLEET AND DISTRICT CRAFT. SOPA IS COMDESANT IN USS YOSEMITE (AD-19).

C. F. Egan  
Ensign USNR

04-08 Moored as before. 0745 MUSTERED THE CREW AT QUARTERS  
ABSENTEES: None.

C. F. Egan  
Ensign USNR

APPROVED:

EXAMINED:

U.S.N. COMMANDING

U.S.N. NAVIGATOR



## ADDITIONAL REMARKS

UNITED STATES SHIP

ABBot DD629

TRI 6 OCT 1961

(Day) (Date) (Month)

08-12 Moored as before. 1000 Made daily inspection of magazines and smokeless powder samples, conditions normal.

BT Bremer  
Ltjg USN

12-16 Moored as before. 1247 Secured fire to number 1 boiler. 1248 Floating crane alongside to starboard to remove equipment. 1259 Floating crane cleared from alongside. 1320 Divers commenced underwater work in nest. 1435 Diver work completed.

BT Bremer  
Ltjg USN

16-20 Moored as before.

BT Bremer  
Ltjg USN

20-24 Moored as before.

BT Bremer  
Ltjg USN

APPROVED:

EXAMINED:

A. H. Craig

U.S.N. COMMANDING

Robinson LTJG

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&amp;PO 8231



## DECK LOG SHEET - TYPE B

USS ABBOT DDG29 ZONE DESCRIPTION +4 (Q) DATE SAT 7 OCT 19 61  
 AT/PASSAGE FROM Berth 143, Pier 1, U.S. NAVAL BASE, NEWPORT, R.I.

## WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES		POSITION	ZONE	TIME	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)				
01	275	2	5	BKN	30.12	62	59										
02	275	2	5	BKN	30.10	60	58										
03	275	2	5	BKN	30.07	58	56										
04	275	2	5	BKN	30.06	58	56										
05	275	2	5	OVC	30.05	58	56										
06	275	2	5	NC	30.06	59	56										
07	275	2	5	OVC	30.08	59	56										
08	345	2	3	HAZE	30.10	59	56										
09	350	2	2	HAZE	30.10	65	61										
10	350	2	2	HAZE	30.11	67	63										
11	350	3	2	HAZE	30.11	71	67										
12	350	2	3	HAZE	30.10	74	70										
13	350	2	3	HAZE	30.08	76	72										
14	350	2	3	HAZE	30.06	76	72										
15	350	2	4	HAZE	30.05	76	72										
16	350	2	4	HAZE	30.05	77	73										
17	350	2	4	HAZE	30.05	70	67										
18	350	2	4	HAZE	30.05	67	64										
19	350	2	4	HAZE	30.05	65	62										
20	240	3	4	HAZE	30.05	65	62										
21	240	3	4	HAZE	30.04	65	62										
22	250	3	3	HAZE	30.04	65	62										
23	230	3	3	HAZE	30.04	65	62										
24	220	3	3	HAZE	30.04	65	61										

LEGEND: 1 - CELESTIAL  
2 - ELECTRONIC  
3 - VISUAL  
4 - D. R.

CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

SET \_\_\_\_\_

DRIFT \_\_\_\_\_

POSITION BETWEEN FIXES

MID. L \_\_\_\_\_

MID. A \_\_\_\_\_

MILES STEAMED 0000-2400 \_\_\_\_\_

FUEL CONSUMED 0000-2400 \_\_\_\_\_

## REMARKS

00-04. Moved portside to the USS WADLEIGH (DD 689) in a nest of three destroyer types in berth 143 pier 1 U.S. NAVAL Base, Newport, R.I. With standard destroyer mooring lines doubled. Ships in the nest from pier outboard include the HUGH PORVIS (DD 708), WADLEIGH, ABBOT. Material condition YOKE and Readiness condition five are set. Ships present include various units of the U.S. ATLANTIC FLEET and various harbor and district craft. SOPA is COMDESLANT in the USS YOSEMITE (AD 19)

B. F. Bremer  
Ltjg USN

04-08. Moved as before. 0745 Mustered the crew on stations: absence none.

B. F. Bremer  
Ltjg USN

APPROVED:

EXAMINED:

U.S.N. COMMANDING

U.S.N. NAVIGATOR



## ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) Saturday 7 Oct. 61  
(Day) (Date) (Month)

08-12 Moored as before. 1045 Commenced diving operations. 1050 Secured diving operations. 1100 Made daily inspection of magazine and smokeless powder samples. Conditions normal.

12-16 Moored as before

16-20 Moored as before

20-24 Moored as before

E. J. Gallagher  
Ens. USNR

E. J. Gallagher  
Ens. USNR

E. J. Gallagher  
Ens. USNR

E. J. Gallagher  
Ens. USNR

APPROVED:

EXAMINED:

A. H. Craig

U.S.N. COMMANDING

Coburn LTJG

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&amp;PO 8231



## DECK LOG SHEET - TYPE B

YJHO 32U JA101730 807

(33-2) 3ND-P&amp;PO 8231

USS ABBOT (DD-629) ZONE DESCRIPTION Q + 4 DATE Sunday 8 Oct. 19 61  
 AT/PASSAGE FROM Berth 143 Pier 1 U.S. Naval Base, Newport, R.I.

## WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES		POSITION	ZONE	TIME	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)				
01	290	3	5	OK	30.04	65	63										
02	330	3	5	OK	30.04	65	63										
03	330	5	5	OK	30.02	64	60										
04	340	3	4	OK	30.02	63	60										
05	350	4	4	HAZE	30.02	63	60										
06	340	4	4	HAZE	30.02	63	59										
07	010	5	4	HAZE	30.03	61	58										
08	010	5	4	HAZE	30.03	61	58										
09	010	2	4	HAZE	30.03	62	58										
10	010	2	4	HAZE	30.03	63	58										
11	010	2	5	OK	30.03	63	58										
12	350	2	6	OK	30.02	63	59										
13	351	2	7	OK	30.02	63	64										
14	300	2	7	OK	30.00	72	65										
15	325	2	7	OK	29.98	72	64										
16	325	2	6	OK	29.97	69	65										
17	350	2	6	OK	29.97	69	65										
18	015	2	5	OK	29.96	67	62										
19	015	2	4	OK	29.94	66	61										
20	016	2	4	OK	29.96	66	62										
21	015	2	4	OK	29.96	61	59										
22	015	3	4	OK	29.96	63	61										
23	018	3	4	OK	29.95	63	61										
24	015	3	3	OK	29.94	61	60										

LEGEND: 1 - CELESTIAL  
 2 - ELECTRONIC  
 3 - VISUAL  
 4 - D. R.

## CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
 TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
 SET \_\_\_\_\_  
 DRIFT \_\_\_\_\_  
 POSITION BETWEEN FIXES  
 MID. L \_\_\_\_\_  
 MID. A \_\_\_\_\_

MILES STEAMED  
 0000-2400

FUEL CONSUMED  
 0000-2400

## REMARKS

00-04 Moored port side to USS Wadleigh (DD-689) in Berth 143 at Pier 1, U.S. Naval Base, Newport R.I. with standard destroyer mooring lines, doubled, in a nest of three ships. Ships outboard from the pier are: USS Hugh Purvis (DD-709), Wadleigh, and ABBOT. This ship receiving all utilities from the pier. Condition of Readiness II and Material Condition Yake are set. SOPA is Com Desant aboard USS Yosemite (AD-19). Ships present include various units of U.S. Atlantic Fleet and local service craft.

E. J. Gallagher  
 Ens. USNR.

04-08 Moored as before. 0730 Mustered the crew on station. Absentees: None.

E. J. Gallagher  
 Ens. USNR.

APPROVED:

EXAMINED:

U.S.N. COMMANDING

U.S.N. NAVIGATOR



## ADDITIONAL REMARKS

UNITED STATES SHIP

ABBOT (DD-629)

Sunday 8 Oct. 61  
(Day) (Date) (Month)

08-12 Moored as before. 0900 Lighted fires under number 1 boiler. 1025  
Lost electrical load. 1035 Shifted electrical load to emergency diesel.  
1100 Shifted electrical load from emergency diesel to number 1 generator.  
1145 Made daily inspection of magazine and smokeless powder samples.  
Conditions normal.

E. J. Gallagher

12-16 Moored as before. 1500 Shifted from ship's power to shore power. 1524  
Secured fires under number 1 boiler.

E. J. Gallagher

16-20 Moored as before.

E. J. Gallagher  
Ensign USNR

20-24 Moored as before.

E. J. Gallagher  
Ensign USNR

APPROVED:

A. W. Craig

U.S.N. COMMANDING

EXAMINED:

Coburn

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&amp;PO 8231



## DECK LOG SHEET - TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION Q +4 DATE Monday 9 October, 19 61  
 AT/PASSAGE FROM Berth 143 Pier 1 U.S. Naval Base, Newport, R.I.

## WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES		POSITION	ZONE	TIME	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)				
01	240	11	3	RAIN	29.90	63	60										
02	240	11	3	RAIN	29.90	63	60										
03	250	10	4	RAIN	29.90	64	62										
04	265	11	4	RAIN	29.90	65	62										
05	250	8	4	OVC	29.90	65	62										
06	230	7	4	OVC	29.90	65	62										
07	210	7	6	OVC	29.91	65	62										
08	210	7	6	OVC	29.91	66	61										
09	210	7	6	BKN	29.92	66	61										
10	330	2	6	BKN	29.93	70	64										
11	300	5	7	ScT	29.92	72	65										
12	300	6	7	ScT	29.92	73	66										
13	300	3	7	ScT	29.90	72	65										
14	330	5	7	ScT	29.90	73	65										
15	330	5	7	ScT	29.94	79	67										
16	010	3	7	ScT	29.96	85	69										
17	020	3	7	ScT	29.98	83	70										
18	010	3	7	ScT	29.99	80	68										
19	010	4	7	ScT	29.99	78	68										
20	010	4	7	ScT	30.01	74	65										
21	010	5	7	BKN	30.02	70	63										
22	010	4	7	BKN	30.03	70	63										
23	010	3	7	ScT	30.03	70	63										
24	000	3	7	ScT	30.03	68	61										

LEGEND: 1 - CELESTIAL  
 2 - ELECTRONIC  
 3 - VISUAL  
 4 - D. R.

CURRENT DATA  
 FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
 TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
 SET \_\_\_\_\_  
 DRIFT \_\_\_\_\_  
 POSITION BETWEEN FIXES  
 MID. L \_\_\_\_\_  
 MID. λ \_\_\_\_\_

MILES STEAMED  
 0000-2400  
 \_\_\_\_\_

FUEL CONSUMED  
 0000-2400  
 \_\_\_\_\_

## REMARKS

00-04 Moved port side USS Wadleigh (DD-689) in Berth 143 at Pier 1, U.S. Naval Base, Newport, R.I. with standard destroyer mooring lines doubled, in a row of three ships. Ships outboard from the pier are: USS Hugh Purvis (DD-700), Wadleigh, and Abbot. This ship receiving fresh water, power and telephone services from the pier. Condition of readiness II and material condition Yoke are set. SOPA is Com Deslant aboard Goremite (AD-19) Ships present include various units of US Atlantic Fleet and local service craft. 0529 Lighted off fires under number 1 boiler.

E. J. Gallagher  
 Ens. USNR

04-08 Moved as before. 0730 Mustered the crew at quarters, absentees: (En) Hudson, D.L. 540 540 6979, USN and Trever, L.J. 540 6839 USN since 0730 this date.

E. J. Gallagher  
 Ens. USNR

APPROVED:

EXAMINED:

NOTADIVAN N.S.U.

ONTAMAMCO N.S.U.

U.S.N. COMMANDING

U.S.N. NAVIGATOR

1555 0904-GNE



ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) Mon 9 OCT 1961  
(Day) (Date) (Month)

08-12 Moored as before. 0811 Mustered the crew on stations; absentees HUDSON, D.L., 5406979, SN, USA and TRURN, L.T., 5406839, SN, USA, UA since 0730 this date. 0900 Commenced all preparations for getting underway; set material condition 40K. 1000 Made daily inspection of magazines and smokeless powder samples; conditions normal. 1000 Stationed the special reg detail 1036 Completed all preparations for getting underway; draft fwd 13' 8" aft 13' 7". Captain and Navigator on the bridge. 1103 Secured the special sea detail #30 YTB 546 and YTB 179 alongside to starboard to shift this ship and USS WADLEIGH (DD 689) to berth 122 and 123. 1131 Underway with tugs. 1135 Moored outboard of USS WADLEIGH (DD 689) and USS J. WARD (DD 1027) at berth 123.

J. A. Phillips  
LT USA

12-16 Moored as before. 1220 YTB 175 and YTB 548 alongside to starboard to shift this ship and USS WADLEIGH (DD 689) to berth 143 and 144. 1235 Underway with tugs. 1245 Moored at berth 144 in a nest of four ships. Order of ships from pier USS HUGH PARVIS (DD 708), USS COMPTON (DD 708), USS WADLEIGH (DD 689), 1556 HUDSON, D.L., 5406979, SN, USA and TRURN, L.T., 5406839, SN, USA returned aboard UA since 0730 this date.

J. A. Phillips  
LT USA

16-20 Moored as before.

J. A. Phillips  
LT USA

20-24 Moored as before.

J. A. Phillips  
LT USA

APPROVED:

A. H. Craig

U.S.N. COMMANDING

EXAMINED:

Roburn

LTJG

U.S.N.

NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&PO 8231



## DECK LOG SHEET - TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION 74.9 DATE TUESDAY 10 OCTOBER, 19 61  
(Day) (Date) (Month)  
AT/PASSAGE FROM BERTH 144, PIER 1, U.S. NAVAL BASE, NEWPORT R.I.

## WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	265	3	7	SCT	30.00	67	60						
02	265	3	7	SCT	30.02	65	60						
03	265	3	7	BKN	30.04	64	59						
04	265	3	7	SCT	30.04	64	59						
05	265	3	7	SCT	30.04	64	59						
06	260	3	7	SCT	30.04	64	59						
07	260	3	7	SCT	30.04	64	59						
08	260	3	7	SCT	30.04	61	56						
09	260	2	7	SCT	30.05	66	59						
10	260	2	7	SCT	30.05	70	62						
11	255	3	7	SCT	30.05	72	64						
12	255	4	7	SCT	30.06	72	64						
13	250	5	7	SCT	30.06	72	64						
14	255	7	7	SCT	30.07	72	64						
15	255	8	7	CLR	30.08	74	65						
16	260	5	7	CLR	30.08	73	64						
17	265	4	7	SCT	30.09	71	62						
18	270	3	7	SCT	30.10	69	62						
19	275	3	7	SCT	30.10	68	62						
20	270	2	7	SCT	30.11	68	62						
21	270	3	6	SCT	30.11	67	62						
22	270	2	6	SCT	30.12	65	60						
23	270	3	6	SCT	30.12	65	60						
24	270	3	6	SCT	30.13	64	59						

POSITION ZONE TIME  
0800  
L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_  
1200  
L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_  
2000  
L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_  
LEGEND: 1 - CELESTIAL  
2 - ELECTRONIC  
3 - VISUAL  
4 - D. R.

CURRENT DATA  
FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
SET \_\_\_\_\_  
DRIFT \_\_\_\_\_  
POSITION BETWEEN FIXES  
MID. L \_\_\_\_\_  
MID. λ \_\_\_\_\_

MILES STEAMED  
0000-2400

FUEL CONSUMED  
0000-2400

## REMARKS

00-04 Moored portside to USS WADSWORTH (DD 689) at berth 144, pier 1, U.S. Naval Base, Newport R.I. in a nest of four destroyers with standard destroyer lines doubled. Other ships in the nest are USS HUGH PURNELL (DD 709) and USS COMPTON (DD 708). Boiler #4 and generator #2 are in use for auxiliary purposes. Condition of readiness and material condition of ship are set. Ships present include various units of the US Atlantic Fleet and harbor craft. SOPA in COMBOSLAN in USS YOSTMITE (AD 18).

W. H. Sullivan  
LT USN

04-08 Moored as before. 0745 Mustered the crew at quarters; no unauthorized absentees.

W. H. Sullivan  
LT USN

APPROVED:

EXAMINED:

U.S.N. COMMANDING

U.S.N. NAVIGATOR



## ADDITIONAL REMARKS

UNITED STATES SHIP Abbot (DD-629) Tuesday 10 October 61  
(Day) (Date) (Month)

08-12 Moored as before, 0828 Lit Fires under No. 1 Boiler. 0912 Made daily inspection of magazines and smokeless powder samples. Conditions Normal. 0930 Commenced preparations for getting underway. Set material condition Yoke. Drafts: 13' 8" FWD, 13' 7" AFT. 1000 Set special sea detail. 1112 Underway in accordance with Deslant Engineering School instruction, maneuvering on various courses and speeds to conform to channel. 1131 Passed Rose Island Light abeam to Port. 1135 Passed East Channel Buoy No. 11 abeam to Stbd. 1139 Passed Castle Hill Light abeam to Port. 1141 Secured Special Sea Detail. Maneuvering on various courses and speeds while conducting Engineering Casualty Control Exercises. 1148 Passed Brenton Reef Lightship abeam to Stbd.

C.F. Egan  
Ensign USNR

12-16 Steaming as before. 1435 Set Special Sea Detail. Secured from Engineering Casualty Control Exercises. Steering various courses and speeds to conform to the channel. 1439 Passed Brenton Reef Lightship abeam to Port. 1447 Passed Castle Hill Light abeam to Stbd. 1453 Passed East Passage buoy #11 abeam to Port. 1456 Passed Rose Island Light abeam to Starboard. 1513 Moored Port Side to USS H.R. Dickson DD708 in berth 104, U.S. Naval Base, Newport, R.I., using standard mooring lines bowline. Ships in the next are USS Davis (DD937), USS Gainard (DD706) USS Dickson and USS Abbot. 1522 Secured Special Sea Detail.

C.F. Egan  
Ensign USNR

16-20 Moored as before.

C.F. Egan  
Ensign USNR

20-24 Moored as before.

C.F. Egan  
Ensign USNR

APPROVED:

EXAMINED:

A. H. Craig

U.S.N. COMMANDING

Colum L. T. G.

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&amp;PO 8231



## DECK LOG SHEET - TYPE B

USS Abbot (DD 624) ZONE DESCRIPTION #4 Q DATE Wednesday 11 October, 19 61  
(Day) (Date) (Month)  
AT/PASSAGE FROM Berth 164, Pier 1, U.S. Naval Base, Newport, R.I.

## WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbol)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES		POSITION	ZONE	TIME
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)			
01	270	3	5	SCT	30.13	64	60									
02	270	3	5	SCT	30.15	64	60									
03	295	3	5	SCT	30.17	64	60									
04	280	3	6	SCT	30.20	63	59									
05	300	3	6	SCT	30.23	64	60									
06	300	3	6	SCT	30.26	60	56									
07	300	3	3	HAZE	30.29	60	56									
08	300	4	4	HAZE	30.29	61	57									
09	345	4	4	HAZE	30.29	62	57									
10	030	1	4	HAZE	30.31	64	58									
11	045	5	7	SCT	30.32	62	56									
12	095	9	7	SCT	30.34	66	60									
13	095	5	6	BKN	30.34	65	59									
14	105	3	5	HAZE	30.34	66	60									
15	120	4	5	HAZE	30.36	66	60									
16	145	8	5	HAZE	30.34	68	62									
17	115	4	4	HAZE	30.32	67	61									
18	110	3	3	HAZE	30.30	66	60									
19	125	3	3	HAZE	30.30	70	64									
20	105	3	4	HAZE	30.30	66	61									
21	090	3	4	HAZE	30.30	65	61									
22	100	3	3	FOG	30.30	64	60									
23	110	4	3	FOG	30.30	62	59									
24	110	3	3	FOG	30.30	63	59									

LEGEND: 1 - CELESTIAL  
2 - ELECTRONIC  
3 - VISUAL  
4 - D. R.

CURRENT DATA  
FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
SET \_\_\_\_\_  
DRIFT \_\_\_\_\_  
POSITION BETWEEN FIXES  
MID. L \_\_\_\_\_  
MID. A \_\_\_\_\_

MILES STEAMED  
0000-2400

FUEL CONSUMED  
0000-2400

## REMARKS

00-04 Moored Port side to USS H.R. DICKSON, DD 708, in BERTH 164, U.S. NAVAL BASE, NEWPORT, R.I., in a nest of four ships, using STANDARD DESTROYER mooring lines doubled. Ships in the nest are USS DAVIS (DD 937) USS GAINARD (DD 706) USS H.R. DICKSON and USS ABBOT. Boiler No. 1 and Generator No. 1 in use for auxiliary purposes. Modified Material Condition Yoke and Condition of Readiness Five are set. Ships present include units of the U.S. ATLANTIC FLEET and DISTRICT CRAFT. SOPA is Commander aboard USS YOSEMITE (AD 19).

C. F. Egan  
Ensign USNVR

04-08 Moved as before. 0745 Mustered the crew at Quarters. Unauthorized Absentees: NONE.

C. F. Egan  
Ensign USNVR

APPROVED:

EXAMINED:

U.S.N. COMMANDING

U.S.N. NAVIGATOR



## ADDITIONAL REMARKS

UNITED STATES SHIP

ABBOT (DD-629)

Wednesday 11 Oct 1961  
(Day) (Date) (Month)

08-12

Moored as before. 0905 Made daily inspection of magazine and smokeless powder samples. Conditions normal. 0932 Commenced preparations for getting underway. Draft: forward 13.8, aft 13.6. 1000 Set the Special Sea Detail. 1048 all preparations completed for getting underway. Captain and Navigator on the bridge. 1050 Underway in accordance with Desfont Engineering School instruction (underway phase). Captain has the Conn. Maneuvering on various courses and speeds while proceeding out channel. 1113 Passed Rose Island Light abeam to port. 1117 Passed Buoy #11 abeam to starboard. 1121 Passed Castle Hill light abeam to port. 1123 Secured the Special Sea Detail. 1130 Passed Brenton Reef Lightships abeam to starboard. 1131 Maneuvering on various courses and speeds while conducting engineering casualty drills.

E. J. Gallagher  
Ens. USNR

12-16

Steaming as before. 1401 Gyro secured. Steering by magnetic compass. 1445 Commenced preparations for entering port. Set special sea detail. Maneuvering on various courses and speeds while entering channel. Captain had the conn; Navigator is on the bridge. 1500 Passed Castle Hill Light abeam to starboard. 1510 Buoy #11 passed abeam to port. 1514 Passed Rose Island Light abeam to starboard. 1525 Maneuvering on various courses and speeds while mooring. 1536 Moored port side to Pier 1 in Berth 141 at US Naval Base Newport, R.I. with standard destroyer mooring lines, doubled. 1556 Secured special sea detail.

E. J. Gallagher  
Ens. USNR

16-20

Moored as before.

E. J. Gallagher  
Ens. USNR

20-24

Moored as before.

E. J. Gallagher  
Ens. USNR

APPROVED:

EXAMINED:

A. W. Craig

U.S.N. COMMANDING

Roburn

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

3ND-P&amp;PO 8231



## DECK LOG SHEET - TYPE B

USS ABBOT (DD-629)ZONE DESCRIPTION Q 44DATE Thursday 12 October, 19 61

AT/PASSAGE FROM

Berth 141 Pier 1U. S. Naval Base, Newport, R.I.

## WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	115	3	3	HAZE	30.29	63	58						
02	115	3	3	HAZE	30.30	63	58						
03	115	3	3	HAZE	30.28	60	55						
04	120	7	5	NC	30.27	60	55						
05	135	7	5	NC	30.25	60	55						
06	152	4	4	HAZE	30.23	60	55						
07	160	3	3	HAZE	30.21	60	55						
08	170	3	3	HAZE	30.21	60	55						
09	170	3	3	HAZE	30.20	59	54						
10	160	3	3	HAZE	30.21	58	53						
11	185	4	4	HAZE	30.23	60	60						
12	195	4	7	ScT	30.21	66	60						
13	070	5	8	ScT	30.19	70	63						
14	085	5	8	CLR	30.15	68	62						
15	190	4	8	ScT	30.13	72	65						
16	119	2	8	ScT	30.13	74	68						
17	115	2	7	BKN	30.12	68	62						
18	090	2	7	ScT	30.10	68	62						
19	110	2	5	BKN	30.09	66	61						
20	095	2	3	HAZE	30.08	64	59						
21	098	2	3	HAZE	30.08	62	57						
22	120	2	3	HAZE	30.07	62	57						
23	110	2	3	HAZE	30.07	58	53						
24	230	2	5	NC	30.06	61	57						

POSITION	ZONE	TIME
0800		
L <u>14</u>	BY	
λ	BY	
1200		
L <u>Port</u>	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL  
2 - ELECTRONIC  
3 - VISUAL  
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

## REMARKS

00-04 Moored port side to Pier 1 in Berth 141 at U.S. Naval Base, Newport, R.I. with standard destroyer mooring lines doubled. Receiving steam for auxiliary purposes, electric power, and fresh water from the pier. Condition of readiness I and material condition Yoke are set. SOPA is ComDes sent aboard USS. Goswite (AD-19). Ships present include units of U.S. Atlantic Fleet and local service craft.

E. J. Gallagher  
Ens. USNR.

04-08 Moored as before. 0730 Mustered the crew at quarters. No unauthorized absentees.

E. J. Gallagher  
Ens. USNR.

APPROVED:

EXAMINED:

U.S.N. COMMANDING

U.S.N. NAVIGATOR



ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT THURS 12 OCT 1961  
(Day) (Date) (Month)

08-12. Moored as before. 0930 Set material condition 1045 commenced preparations for getting underway. 1000 Set the Special Sea and anchor detail. 1027 Completed all preparations for getting underway. Captain and Navigator on the bridge. 1030 Made daily inspection of magazine and smokeless powder samples conditions normal. 1031 Underway in accordance with DESAAR ENGINEERING SCHOOL OPERATIONAL SCHEDULE. Captain has the conn. Manoeuvring on various courses and speeds while clearing the pier and standing out the channel. 1049 Rose Island light abeam the port at 450 yards. 1052 Black buoy #11 abeam to starboard 150 yards. 1058 Castle Hill light abeam to port 350 yards. 1105 Breton Reef light ship abeam to starboard 600 yards secured the Special Sea and anchor detail. 1/6 18k 1/5 20 knots.

B. F. Bremer  
Ltjg USN

12-16. Steaming as before. 1244 1/5 10 knots 1245 Commenced Engineering drills. Manoeuvring on various courses and speeds while conducting drills. 1430 Secured from Engineering drills. Set the Special Sea and anchor detail. Captain has the conn. 1432 Breton Reef Lightship abeam to port at 1700 yards. 1443 Castle Hill light abeam to starboard at 300 yards. Manoeuvring on various courses and speeds to conform to channel. 1449 Buoy #11 abeam to port 200 yards. 1453 Rose Island light abeam to starboard at 250 yards. 1503. Commenced approach on pier. Manoeuvring on various courses and speeds. 1511 Moored in berth 121, pier #1 U.S. Naval Base Newport R.I. 1513 Shifting berths forward to berth 141. 1516. Moored in berth 141 with standard destroyer mooring lines doubled. 1524 Secured the Special Sea and anchor detail.

B. F. Bremer  
Ltjg USN

16-20 Moored as before.

B. F. Bremer  
Ltjg USN.

20-24 Moored as before

B. F. Bremer  
Ltjg USN

APPROVED:

A. W. Craig

U. S. N. COMMANDING

EXAMINED:

Robert L. T. G.

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION + 4 DATE FRIDAY 13 OCT., 19 61  
(Day) (Date) (Month)  
AT/PASSAGE FROM BERTH 141, PIER 1 TO U.S. NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	250	5	4	Haze	30.06	60	57						
02	270	5	1	Fog	30.04	62	59						
03	300	2	2	Haze	30.04	62	59						
04	295	2	2	Haze	30.03	62	59						
05	245	2	6	VC	30.03	63	60						
06	250	2	6	VC	30.02	63	60						
07	330	2	4	VC	30.11	63	60						
08	270	3	4	VC	30.01	64	61						
09	310	2	1	Fog	30.00	65	62						
10	300	2	1	Fog	29.99	67	64						
11	275	2	3	Haze	29.99	68	65						
12	230	2	4	VC	29.99	70	67						
13	240	4	5	VC	29.98	68	65						
14	210	8	5	VC	29.97	66	63						
15	240	5	5	VC	29.96	66	63						
16	175	5	3	Fog	29.95	67	64						
17	180	6	1	Fog	29.94	64	61						
18	240	4	3	Fog	29.93	63	60						
19	190	5	1	Fog	29.92	62	59						
20	185	2	1	Fog	29.90	62	59						
21	195	2	1	Fog	29.89	62	60						
22	195	8	1	Fog	29.86	62	60						
23	205	10	1	Fog	29.85	63	61						
24	205	9	1	Fog	29.83	62	60						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
----------------------------

FUEL CONSUMED 0000-2400
----------------------------

REMARKS

00-04. Moored portside to pier #1 in berth H1 at U.S. Naval Base Newport, R.I. with standard des-brogers mooring lines doubled. Material condition ~~Yoke~~ and readiness condition I are set. Ships present include various units of the U.S. ATLANTIC FLEET and harbor and district craft. SOPA is COMDESLANT in the USS Yosemite (AO 19) at pier #2. Receiving various services from the pier. No. #3 boiler and #2 main generator providing steam and ships electrical power.

B. F. Bremer  
Ltjg USN

04-08 Moored as before. 0745 Mustered the crew at quarters, absentees: none.

B. F. Bremer  
Ltjg USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR



ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629)

FRIDAY 13 OCT, 1961  
(Day) (Date) (Month)

08-12 Moored as before. 0838 Commenced taking on freshwater from pier. 0910 Completed taking on fresh water, having received 8,404 gallons. 0930 Made preparations for getting underway; set material condition YOKE. 0935 measured ship's draft: 13'4" aft; 13'7" forward. 0942 Made daily inspection of magazines and smokeless powder samples; conditions normal. 1000 Set special sea and anchor detail. 1018 Secured special sea and anchor detail; the ship will not get underway due to reduced visibility in fog.

*CT Bayley*  
Ensign USN

12-16 Moored as before. 1532 Shifted electrical load to shore power.

*CT Bayley*  
Ensign USN

16-20 Moored as before.

*CT Bayley*  
Ensign USN

20-24 Moored as before.

*CT Bayley*  
Ensign USN

APPROVED:

EXAMINED:

*A. H. Craig*

U. S. N. COMMANDING

*Robert L. H. 1516*

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION + 4 DATE SATURDAY 14 OCTOBER 1961  
AT/PASSAGE FROM BERTH 141 Pier 1 TO US NAVAL BASE NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	205	5	1	Fog	29.83	62	60						
02	205	2	1	Fog	29.81	63	61						
03	205	9	1	Fog	29.80	63	61						
04	195	4	1	Fog	29.78	63	61						
05	195	4	1	Fog	29.77	63	61						
06	200	3	1	Fog	29.75	63	61						
07	205	3	3	Fog	29.73	63	61						
08	205	2	3	Fog	29.73	64	62						
09	205	4	3	Fog	29.73	64	62						
10	210	P	5	HAZE	29.74	65	62						
11	215	13	5	HAZE	29.74	65	63						
12	210	8	5	HAZE	29.74	63	61						
13	210	5	3	Fog	29.74	60	58						
14	210	5	3	Fog	29.71	60	58						
15	210	5	5	ovc	29.69	59	58						
16	210	5	5	ovc	29.69	60	58						
17	211	5	5	ovc	29.69	60	58						
18	211	5	5	ovc	29.70	60	58						
19	212	5	5	ovc	29.67	60	58						
20	340	15	5	ovc	29.68	61	59						
21	060	13	5	ovc	29.66	60	58						
22	060	10	5	ovc	29.65	58	57						
23	060	15	5	ovc	29.64	57	56						
24	090	16	4	Rain	29.63	56	55						

POSITION ZONE TIME

0800  
L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_

1200  
L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_

2000  
L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

SET \_\_\_\_\_  
DRIFT \_\_\_\_\_

POSITION BETWEEN FIXES

MID. L \_\_\_\_\_  
MID. λ \_\_\_\_\_

MILES STEAMED  
0000-2400

FUEL CONSUMED  
0000-2400

REMARKS

00-04 Moved port side to Pier 1, berth 141, US Naval Base, Newport, Rhode Island, using standard destroyer mooring lines doubled. Condition of Readiness II and Material Condition Yoke (modified) are set. Ship is receiving steam and electrical power from the pier. Ships present include units of US Atlantic Fleet plus district craft. SOPA is ComDES LANT in USS YOSEMITE (AD-19).

CJ Bayley  
Com USN

04-08 Moved as before. 0745 Monitored the crew <sup>on station</sup> at quarters; un-  
authorized absentee: ~~MAFREDO~~, F. (N), 5393646, FN, USA, since 0730  
14 OCT 61.

CJ Bayley  
Com USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR



ADDITIONAL REMARKS

UNITED STATES SHIP Abbot (DD629) SATURDAY 14 Oct 19 61  
(Day) (Date) (Month)

08-12 Moored as before. 1000 Made daily inspection of magazines and smokeless powder samples. Conditions Normal.

C. F. Egan  
Ensign USNR

12-16. Moored as before. 1330 PLAN ZULU SET IN NARRABAY AREA. 1430 RECEIVED YO 248 ALONGSIDE to Starboard. 1445 Commenced taking on fuel. 1523 Secured from taking on fuel, having received 29,830 gallons. 1533 YO 248 UNDERWAY from alongside.

C. F. Egan  
Ensign USNR

16-20 Moored as before. 1740 Secured from plan ZULU.

C. F. Egan  
Ensign USNR

20-24 Moored as before.

C. F. Egan  
Ensign USNR

APPROVED:

EXAMINED:

A. W. Craig

U. S. N. COMMANDING

Roburn LTC

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS Abbot ZONE DESCRIPTION A Q DATE Sunday 15 Oct, 1961  
AT/PASSAGE FROM BERTH 141, Pier 1, TO U.S. NAVAL BASE, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMP-ERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	270	12	4	Rain	29.62	55	54						
02	300	12	4	Rain	29.61	54	53						
03	255	16	4	Rain	29.60	53	53						
04	255	16	4	Rain	29.59	52	52						
05	250	16	4	Rain	29.58	51	51						
06	250	16	4	Rain	29.58	48	48						
07	255	14	5	Rain	29.57	50	49						
08	370	12	5	Rain	29.56	45	45						
09	330	15	4	Rain	29.55	44	44						
10	320	16	5	Rain	29.54	42	42						
11	310	16	4	Rain	29.52	41	41						
12	300	16	5	Rain	29.50	40	40						
13	320	16	5	Rain	29.50	40	40						
14	315	16	5	Rain	29.50	40	40						
15	305	16	4	Rain	29.52	40	40						
16	295	16	5	OVC	29.53	43	43						
17	315	16	5	OVC	29.55	43	42						
18	295	16	6	OVC	29.56	42	41						
19	265	16	6	OVC	29.58	41	40						
20	328	8	6	OVC	29.60	43	41						
21	320	10	6	OVC	29.62	45	43						
22	325	10	6	OVC	29.64	43	41						
23	315	8	6	OVC	29.66	43	41						
24	250	8	6	BKN	29.68	42	39						

POSITION ZONE TIME  
0800  
L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_  
1200  
L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_  
2000  
L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_  
LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA  
FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
SET \_\_\_\_\_  
DRIFT \_\_\_\_\_  
POSITION BETWEEN FIXES  
MID. L \_\_\_\_\_  
MID. λ \_\_\_\_\_

MILES STEAMED  
0000-2400  
\_\_\_\_\_  
FUEL CONSUMED  
0000-2400  
\_\_\_\_\_

REMARKS

00-04 MOORED PORT SIDE TO PIER 1, U.S. NAVAL BASE, NEWPORT, R.I., USING STANDARD MOORING LINES DOUBLED. RECEIVING ALL UTILITIES FROM THE PIER. CONDITION OF HEADGAGES FINE AND MODIFIED MATERIAL CONDITION YOLKE ARE SET. OTHER SHIPS PRESENT INCLUDE UNITS OF THE U.S. ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOGA 16 COMDES LANT IN USS YOCOMITE (AD-19)

C7Eganb  
Ens V8M2

04-08 MOORED AS BEFORE.

C7Eganb  
Ens V8M2

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR



ADDITIONAL REMARKS

UNITED STATES SHIP Abbot (DD629)

Sunday 16 Oct 1961  
(Day) (Date) (Month)

08-12 Moored as before. 0800 Mustered The Crew on Stations.  
Absentee: Frank (N) Laffredo, 539 36 46 FN USN, U/A since 0730  
14 October 1961. 1115 Made daily inspection of magazines and  
smokeless powder samples. Conditions Normal.

C. F. Egan  
Ensign USNR

12-16 Moored as before. 1430 ComDes Lant hauled down his flag in  
USS Yosemite and departed on TEMADD. ComDes Der Gru TWB, in USS Hugh  
Purvis (DD709) assumed SOPA Narrabay Sub-area.

C. F. Egan  
Ensign USNR

16-20 Moored as before. 1625 Lit fires under No. 3 boiler. 1757  
Secured Shore Steam.

C. F. Egan  
Ensign USNR

20-24 Moored as before. 2015 Secured Shore power. Commenced Taking  
Power from No. 2 Ship's Service Generator.

C. F. Egan  
Ensign USNR

APPROVED:

EXAMINED:

A. W. Craig

U. S. N. COMMANDING

Aburn

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS Abbot (DD629) ZONE DESCRIPTION +4 Q DATE Monday 16 OCT, 1961  
(Day) (Date) (Month)  
AT/PASSAGE FROM Borth 141, Pier 1, U.S. NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMP-ER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	235	8	7	BKN	29.70	39	36						
02	210	5	7	BKN	29.71	38	35						
03	210	7	7	ScT	29.73	37	33						
04	225	7	7	ScT	29.75	37	33						
05	180	7	7	ScT	29.77	37	32						
06	225	7	7	ScT	29.78	39	34						
07	200	7	7	ScT	29.79	38	33						
08	280	7	7	ScT	29.80	38	32						
09	310	6	8	ScT	29.81	44	37						
10	310	7	8	ScT	29.82	44	37						
11	320	8	8	ScT	29.83	44	37						
12	325	8	8	CLR	29.84	44	37						
13	315	9	8	CLR	29.82	47	32						
14	320	10	8	CLR	29.80	49	34						
15	325	11	8	ScT	29.78	53	38						
16	328	9	8	ScT	29.78	53	38						
17	325	5	8	CLR	29.78	53	40						
18	325	5	8	ScT	29.78	53	42						
19	330	6	8	CLR	29.79	50	41						
20	300	6	8	ScT	29.80	47	41						
21	275	5	8	CLR	29.81	49	41						
22	240	7	8	CLR	29.81	48	41						
23	210	10	8	CLR	29.82	48	41						
24	185	6	8	ScT	29.83	47	42						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
----------------------------

FUEL CONSUMED 0000-2400
----------------------------

REMARKS

00-04 Moored port side to Pier 1, U.S. NAVAL BASE, NEWPORT, R.I. USING STANDARD mooring LINES DOUBLE. CONDITION OF READINESS FIVE AND MODIFIED MATERIAL CONDITION YOLCE ARE SET. Boiler 3 and Ship Service Generator No. 2 ARE ON THE LINE FOR AUXILIARY PURPOSES Ship present include units of the U.S. ATLANTIC FLEET and DISTRICT CRAFT. SOPA is ComDes DerGru TWO in USS HUGH PURVIS DD709.

(C7 Egan)  
ENS USNR

04-08 Moored as before. 0634 Frank (N) LAFRANC FN, 539 36 46, USN, RETURNED TO THE SHIP, HAVING BEEN V/A SINCE 0730 14 OCT 1961. 0745 Mustered THE CREW AT QUARTERS. ABSENTEES: Robert J. CUNDIFF, 543 30 04, RMSEA, USN; James E. STANSBERRY 281 95 43 Gmg3, USN; Robert R. COLLINS, 572 41 70, SH3 USN, ALL V/A SINCE 0730 This Date.

(C7 Egan)  
ENS USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR



ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) Monday 16 October, 19 61  
(Day) (Date) (Month)

08-12 Moved as before  
0923 Stansberry, J.E., 2819543, GMG3, USN and Collins, R.R., 5724170, SH3, USN returned aboard having been AWOL since 0730 this date. 0935 Lit fires under #2 boiler. 0945 Commenced preparations for getting underway. 1000 Set the Special Sea Detail. 1003 Draft: 13ft 8 in forward, 13ft 6 in aft. 1014 Completed all preparations for getting underway. Captain and Navigator on the bridge. 1047 Underway in accordance with DesLant Engineering School operating schedule (underway phase) 1049 Maneuvering on various courses and speeds while proceeding out channel. 1112 Rose Island Light abeam to port. 1116 Buoy #11 abeam to starboard. 1123 Castle Hill light abeam to port. 1127 Secured the Special Sea Detail. 1132 Brenton Reef Lightship abeam to starboard. Maneuvering on various courses and speeds while conducting Engineering Casualty drills. 1135 Made daily inspection of magazine and smokeless powder samples. Eugene J. Gallagher, Ensign USNR. Conditions normal.

12-16 Underway as before. 1435 Set the Special Sea Detail. Captain has the conn. 1437 Brenton Reef Lightship abeam to port. 1445 Castle Hill light abeam to starboard. 1450 Buoy #11 abeam to port. 1456 Rose Island light abeam to starboard. 1507 Maneuvering on various courses and speeds while proceeding to pier. 1513 Moored port side to Pier 1 in Berth 141 at U.S. Naval Base, Newport, R.I. with standard destroyer mooring line doubled. 1524 Secured Special Sea Detail.  
Eugene J. Gallagher  
Ensign USNR

16-20 Moored as before. 1655 Mustered the Emergency Assistance Party for drill purposes. 1700 Secured the Emergency assistance Party. 1830 Condiff, R.J. 5433004, RMSA, USN, returned on board, having been AWOL since 0730 this date.  
Eugene J. Gallagher  
Ensign USNR

20-24 Moored as before. 2237 Lit fires under #4 boiler.  
Eugene J. Gallagher  
Ensign USNR

APPROVED:

EXAMINED:

A. W. Craig

U. S. N. COMMANDING

Robert

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION Q +4 DATE Tuesday 17 October, 1961  
AT/PASSAGE FROM Berth 141, Pier 1 TO U.S. Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	210	5	8	ScT	29.83	45	40						
02	210	15	8	CLR	29.83	45	40						
03	210	15	8	ScT	29.84	46	41						
04	210	15	8	ScT	29.85	40	35						
05	210	15	8	ScT	29.86	40	35						
06	210	15	8	ScT	29.87	40	35						
07	210	15	8	ScT	29.88	40	35						
08	250	12	8	CLR	29.90	42	36						
09	250	12	8	ScT	29.92	43	37						
10	255	12	8	CLR	29.95	50	44						
11	250	13	8	ScT	29.97	53	46						
12	275	9	8	ScT	29.97	54	47						
13	272	15	8	ScT	29.92	57	51						
14	255	10	8	ScT	29.91	56	52						
15	205	18	8	ScT	29.91	55	50						
16	215	12	8	ScT	29.88	59	54						
17	220	10	8	ScT	29.87	60	55						
18	220	10	8	CLR	29.87	58	53						
19	205	12	8	CLR	29.86	56	52						
20	205	13	8	CLR	29.86	56	51						
21	200	11	8	CLR	29.86	59	53						
22	200	11	7	CLR	29.87	59	54						
23	210	15	8	ScT	29.89	59	54						
24	232	10	7	CLR	29.91	58	53						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moored port side to Pier 1 in Berth 141 at U.S. Naval Base Newport, R.I., with standard dewatering mooring lines doubled. Condition of readiness I and Modified Material Condition Yoke are set. This ship receiving miscellaneous services from the pier. Boiler #4, generator #2 are on the line for auxiliary purposes. SOPA is Com Des Dev Gru 2 aboard USS Hugh Purvis (DD-709). Ships present include various units of U.S. Atlantic Fleet and local service craft.

Eugene J. Gallagher  
Ens. USNR

04-08 Moved as before. 0745 Mustered the crew at quarters. Absentees: Council, P, 8309890, SD3, USN, UA since 0730 this date.

Eugene J. Gallagher  
Ens. USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR



ADDITIONAL REMARKS

UNITED STATES SHIP ABBOY (DD 629) TUES 17 OCT 1961  
(Day) (Date) (Month)

0812 Moored as before. 0930 Commenced making preparations for getting underway. Made daily inspection of magazine and smokeless powder samples, conditions normal. 1000 Set the Special Sea and anchor detail. 1023 Preparations for getting underway <sup>completed</sup> Captain and Navigator are on the bridge. 1026 Underway in accordance with DESLANT ENGINEERING SCHOOL'S OPERATIONAL SCHEDULE. Manuevering on various courses and speeds while clearing the pier and standing out the channel. 1045 Rose Island light abeam to port at 400 yards. 1049 Buoy #11 abeam to starboard at 200 yards. 1054 Castle Hill light abeam to port at 300 yards. 1100 Secured the Special Sea and anchor detail. 1103 Brenton Reef lightship abeam to starboard at 1000 yards. Commenced manuevering on various courses and speeds while conducting Engineering drills.

B.F. Bremer  
Ltjg USN

12-16 Steaming as before. 1425 Brenton Reef lightship abeam to port at 1000 yards. Commenced approach to channel. Stationed the special sea and anchor detail. Captain has the conn. 1439 Castle Hill light abeam to starboard at 300 yards. Completed Engineering drills. 1443 Buoy #11 abeam to ~~port~~ <sup>starboard</sup> at 300 yards. 1450 Rose Island light abeam to starboard 300 yards. 1502 Commenced approach on pier. Manuevering on various courses and speeds while making the approach of the pier. 1507 Moored portside to pier #1 in berth 141, U.S. Naval Base, Newport, R.I. with standard destroyer mooring line doubled. Secured the special sea and anchor detail.

B.F. Bremer  
Ltjg USN

16-20 Moored as before.

B.F. Bremer  
Ltjg USN

20-24. Moored as before.

B.F. Bremer  
Ltjg USN

APPROVED:

EXAMINED:

A. H. Craig

U. S. N. COMMANDING

B.F. Bremer

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION Q + 4 DATE WED. 18 OCT., 19 61  
AT/PASSAGE FROM BERTH 141, PIER 1 TO U.S. NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	232	10	5	HAZE	29.90	59	54						
02	232	13	7	CLR	29.88	58	53						
03	232	15	7	CLR	29.89	58	53						
04	232	12	7	CLR	29.91	55	50						
05	230	8	7	ScT	29.91	54	50						
06	200	3	7	ScT	29.92	54	50						
07	200	3	7	ScT	29.93	54	50						
08	200	6	7	ScT	29.94	60	55						
09	200	8	7	ScT	29.95	60	55						
10	190	10	6	ScT	29.96	61	57						
11	204	13	5	HAZE	29.97	63	58						
12	210	10	5	HAZE	29.97	63	60						
13	240	18	4	HAZE	29.96	63	60						
14	235	16	5	HAZE	29.93	63	60						
15	185	8	5	HAZE	29.94	63	60						
16	180	13	5	HAZE	29.94	63	60						
17	180	14	5	HAZE	29.94	62	60						
18	180	14	5	HAZE	29.94	61	59						
19	175	14	5	HAZE	29.94	60	59						
20	170	13	6	ScT	29.95	60	58						
21	170	12	6	BKN	29.96	60	58						
22	165	9	6	ScT	29.97	60	58						
23	160	8	6	ScT	29.98	60	58						
24	150	7	5	HAZE	29.99	60	58						

POSITION ZONE TIME

0800 L \_\_\_\_\_ BY \_\_\_\_\_

λ IN BY \_\_\_\_\_

1200 L \_\_\_\_\_ BY \_\_\_\_\_

λ PORT BY \_\_\_\_\_

2000 L \_\_\_\_\_ BY \_\_\_\_\_

λ \_\_\_\_\_ BY \_\_\_\_\_

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

SET \_\_\_\_\_

DRIFT \_\_\_\_\_

POSITION BETWEEN FIXES

MID. L \_\_\_\_\_

MID. λ \_\_\_\_\_

MILES STEAMED  
0000-2400

FUEL CONSUMED  
0000-2400

REMARKS

00-04 Moved portside to pier #1 in berth 141 U.S. NAVAL BASE NEWPORT R.I. with standard destroyer mooring lines doubled. Material Condition Yoke and Condition of readiness five (V) are set. #2 Boiler and #1 ship's generator providing steam and electrical power. Ships present include various units of the U.S. ATLANTIC FLEET and various harbor and district craft. SOPA is COMDESDENGRU 2 in the USS HOGH. PORCIS (DD 708) at pier #1.

B.T. Breme  
Ltjg USN

04-08 Moved as before. 0745 Mustered the crew at quarters, absentees: none.

B.T. Breme  
Ltjg USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR



ADDITIONAL REMARKS

UNITED STATES SHIP Abbot DD629

Wed 18 Oct 1961  
(Day) (Date) (Month)

08-12 Moored as before. 0825 RECEIVED YOG 62 ALONGSIDE to Starboard. 0833 Commenced Fueling. 0913 Secured from Fueling having received 26,469 gallons. 0920 YOG 62 underway from alongside. 0930 Commenced preparations for getting underway. Set material condition Yoke throughout the ship. DRAFT FWD: 13' 8", AFT 13' 8". 1000 Set the Special Sea and Anchor Detail. 1038 UNDERWAY IN ACCORDANCE WITH DE LAHT ENGINEERING School Operation Schedule, Maneuvering on various courses and speeds to conform to channel. 1102 passed Rose Island Light abeam to Port. 1106 Passed black buoy #11 abeam to Starboard. 1112 Passed Castle Hill light abeam to Port. 1115 Secured the Special Sea and Anchor Detail. 1122 Passed BRENTON Lightship abeam to Starboard. 1130 Made daily inspection of magazines and smokeless powder samples, conditions normal. C 7 Egan  
Eno USNR

12-16 UNDERWAY AS BEFORE 1205 Steaming on various courses and speeds while conducting ENGINEERING CASUALTY CONTROL DRILL. 1441 Set the Special Sea and Anchor Detail. 1442 Passed BRENTON Lightship abeam to Port. 1451 Passed Castle Hill Light abeam to Starboard. 1456 Passed black buoy #11 abeam to Port. 1500 Passed Rose Island Light abeam to Starboard. 1517 Moored port side to berth 161, Ber 1, U.S. Naval Base, Newport, R.I. with Standard Destroyer Mooring Lines doubled. C 7 Egan  
Eno USNR

16-20 Moored as before.

C 7 Egan  
Eno USNR

20-24 Moored as before.

C 7 Egan  
Eno USNR

APPROVED:

A. N. Lang

U. S. N. COMMANDING

EXAMINED:

Robert L. 1706

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS Abbot (DD 629) ZONE DESCRIPTION Q +4 DATE THURSDAY 19 October, 1961  
AT/PASSAGE FROM Pier 1 berth 161 U.S. NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	140	5	4	HAZE	29.92	60	58						
02	140	5	4	HAZE	29.92	60	58						
03	140	6	4	HAZE	29.92	60	58						
04	140	6	3	HAZE	29.92	60	59						
05	150	6	3	HAZE	29.93	60	59						
06	160	5	3	HAZE	29.94	60	59						
07	175	5	4	HAZE	29.95	60	59						
08	200	2	3	HAZE	29.96	60	59						
09	215	3	3	HAZE	29.97	60	59						
10	190	5	3	HAZE	29.96	61	59						
11	190	5	3	HAZE	29.95	62	59						
12	190	6	3	HAZE	29.94	63	60						
13	195	7	4	HAZE	29.94	65	61						
14	210	6	5	HAZE	29.92	65	61						
15	215	6	5	ScT	29.90	66	62						
16	215	6	6	ScT	29.88	64	60						
17	210	P	6	BKN	29.87	59	56						
18	200	P	6	BKN	29.87	63	60						
19	200	8	2	Fog	29.86	60	58						
20	200	2	1	Fog	29.85	60	58						
21	200	2	1	Fog	29.84	60	59						
22	200	4	1	Fog	29.83	60	59						
23	205	6	2	Fog	29.82	57	56						
24	212	8	4	HAZE	29.81	55	54						

POSITION ZONE TIME

0800 L \_\_\_\_\_ BY \_\_\_\_\_

λ \_\_\_\_\_ BY \_\_\_\_\_

1200 L \_\_\_\_\_ BY \_\_\_\_\_

λ \_\_\_\_\_ BY \_\_\_\_\_

2000 L \_\_\_\_\_ BY \_\_\_\_\_

λ \_\_\_\_\_ BY \_\_\_\_\_

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

SET \_\_\_\_\_

DRIFT \_\_\_\_\_

POSITION BETWEEN FIXES

MID. L \_\_\_\_\_

MID. λ \_\_\_\_\_

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to pier 1, in berth 161, at U.S. Naval base, Newport, R.I., USING STANDARD DESTROYER MOORING LINES DOUBLED. No. 4 boiler and No. 2 GENERATOR ARE ON THE LINE FOR AUXILIARY PURPOSES. Modified Material Conduction Yoke and CONDITION OF READINESS FIVE ARE SET. Ships present include units of the U.S. ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA is Com Des Lant in USS Yosemite (AD-19)

C. F. Egan  
Ensign USNR

04-08 Moored as before. 0708 R. F. BARRETT, RDSN 543-08-08, RETURNED ON BOARD ONE HOUR AND EIGHT MINUTES OVER LIBERTY. 0745 Mustered The Crew AT Quarters. Absentees: None.

C. F. Egan  
Ensign USNR.

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR



ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629)

THURS 19 AUG, 1961  
(Day) (Date) (Month)

08-12 Moved as before. 0930 Set condition YOKE. 1000 Set special sea and anchor detail; made all preparations for getting underway; draft forward 13'8", aft 13'8". 1005 Made daily inspection of magazines and smokeless powder samples; conditions: normal. 1015 Made weekly test of magazine sprinkling and flooding system; conditions satisfactory with exception of malfunctioning butterfly valve, group 5 magazine; ship's force effecting repairs. 1025 Completed preparations for getting underway. 1030 CAPT D.G. DICKUM, USA, CTS Com DES DEV GRV 2<sup>nd</sup> <sup>in USS HUGH DICKUM (DD-789)</sup> assumed SBPA Narrabay Sub-area. 1031 Underway in accordance with DESLANT Engineering School Instructions. Captain at the conn, Navigator on the bridge. Maneuvering to clear Destroyer Pier area. 1045 JOOD was given the conn; steering various courses at various speeds standing out of Newport harbor. 1112 Entered International waters, passing Brenton Reef lightship abeam to starboard; secured special sea and anchor detail, set the underway steaming watch. 1115  $\varphi/c$  180°,  $\varphi/s$  20 knots. 1121 JOOD given the conn. 1128  $\varphi/c$  090°  $\varphi/s$  10 knots. Commenced Engineering Drills.

CT Bayley  
Ens USA

12-16 Steaming as before, on various courses at various speeds while conducting Engineering casualties. 1430 Suffered gyro casualty; steering by ship's magnetic compass. 1450 Completed Engineering drills; set special sea and anchor detail; entered inland waters, passing Brenton Reef lightship abeam to port. Captain at the conn, steering various courses at various speeds while standing into Newport harbor. 1523 Maneuvering while approaching Destroyer pier. 1533 Moved port side to Pier 1, berth 161, US Naval Station, Newport, Rhode Island, using standard destroyer mooring lines doubled. 1537 Secured special sea and anchor detail, set the in port watch.

CT Bayley  
Ens USA

16-20 Moved as before. 1645 Set condition, YOKE modified.

CT Bayley  
Ens USA

20-24 Moved as before.

CT Bayley  
Ens USA

APPROVED:

A. H. Craig

U. S. N. COMMANDING

EXAMINED:

Roburn LTJG

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION +4 (Q) DATE FRIDAY 20 OCT, 1961  
AT/MESSAGE FROM BERTH 161, PIER 1, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	210	4	4	Haze	29.79	55	54						
02	210	4	4	Haze	29.77	55	54						
03	220	5	4	Haze	29.75	55	54						
04	225	3	6	OVC	29.73	56	55						
05	200	3	6	OVC	29.72	58	57						
06	200	3	4	RAIN	29.71	57	57						
07	200	7	4	RAIN	29.70	57	57						
08	160	17	4	RAIN	29.70	55	55						
09	175	14	5	RAIN	29.68	56	57						
10	175	14	5	RAIN	29.66	56	56						
11	175	14	5	RAIN	29.64	53	53						
12	170	15	5	RAIN	29.62	53	53						
13	290	17	6	Haze	29.60	56	56						
14	300	25	5	RAIN	29.59	57	57						
15	300	20	5	RAIN	29.58	57	57						
16	300	25	5	OVC	29.57	58	57						
17	300	25	5	OVC	29.55	58	57						
18	300	25	5	OVC	29.53	60	59						
19	335	25	6	OVC	29.54	60	59						
20	035	25	6	OVC	29.55	62	61						
21	035	25	6	OVC	29.56	62	61						
22	035	25	6	RAIN	29.58	62	62						
23	015	25	6	RAIN	29.60	62	62						
24	005	27	6	OVC	29.61	58	58						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
----------------------------

FUEL CONSUMED 0000-2400
----------------------------

REMARKS

00-04 Moved port side to pier 1, berth 161, US Naval Base, Newport, R.I. using standard destroyer mooring lines doubled. Number 2 boiler and number 1 generator on the line. Material condition JOKE modified and condition of readiness V are set. Ships present include units of U.S. Atlantic Fleet plus district craft. SOPA is CAPT D. G. DOCKUM, USN, ComDes Dev Grv 2, in USS HUGH PURVIS (DD-709). 0141 BRUCE, R.I., 479 70 56, CSSA, USA returned to the ship by Newport Shore Patrol; no charges pending.

CT Bayley  
Ens USN

04-08 Moved as before. 0745 Mustered the crew at quarters; unauthorized absentees: none.

CT Bayley  
Ens USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR



ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) Friday 20 October, 19 61  
(Day) (Date) (Month)

08-12 Moored as before 0845 Lit fires under # 4 boiler. 1000 Made daily inspection of magazine and smokeless powder samples. Conditions normal. 1025 Commenced engineering casualty drills for engineering students. 1030 Rigged storm lines fore and aft.

E. J. Gallagher  
Ens. USNR

12-16 Moored as before 1435 The Captain held court and imposed non-judicial punishment as follows: Laffado, F, 539 3646, En, USN. Offense: Disobedience of a lawful order. Punishment: Three days at Newport Naval Base Brig. 1531 Shifted from ship's power to shore power.

E. J. Gallagher  
Ens. USNR

16-20 Moored as before.

E. J. Gallagher  
Ens. USNR

20-24 Moored as before

E. J. Gallagher  
Ens. USNR

APPROVED:

*A. W. Craig*

U. S. N. COMMANDING

EXAMINED:

*Roburn LTJG*

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION Q +4 DATE Saturday 21 October, 19 61  
AT/PASSAGE FROM Berth 161, Pier 1 U.S. Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	345	27	6	OVC	29.61	58	58						
02	345	27	6	OVC	29.61	58	57						
03	345	25	5	OVC	29.63	57	56						
04	350	20	5	OVC	29.64	56	54						
05	300	12	5	OVC	29.66	54	52						
06	270	17	5	OVC	29.67	52	49						
07	310	25	5	OVC	29.68	55	51						
08	300	25	5	BKN	29.69	55	51						
09	300	25	5	BKN	29.70	55	51						
10	300	25	5	BKN	29.72	55	51						
11	310	15	6	BKN	29.75	55	51						
12	320	15	6	BKN	29.77	55	51						
13	000	18	6	BKN	29.78	53	49						
14	350	16	6	BKN	29.80	52	47						
15	310	14	6	BKN	29.80	51	46						
16	290	16	6	BKN	29.79	50	45						
17	310	16	6	BKN	29.78	50	45						
18	325	14	6	BKN	29.78	50	45						
19	341	14	6	BKN	29.78	50	46						
20	345	8	6	BKN	29.79	49	46						
21	346	8	6	BKN	29.79	49	46						
22	325	9	6	ScT	29.79	49	46						
23	330	9	6	BKN	29.78	48	46						
24	335	9	6	OVC	29.76	49	47						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED  
0000-2400

FUEL CONSUMED  
0000-2400

REMARKS

00-04 Moored portside to Pier 1 in Berth 161 at U.S. Naval Base, Newport, R.I. with standard destroyer mooring lines, doubled. This ship receiving all utilities from the pier. Material condition gale and condition of readiness II are set. Ships present include various units of U.S. Atlantic Fleet and local service craft. SOPA is ComDes Dev Gun 2 aboard USS Hugh Purvis (DD-709)

E. J. Gallagher  
Ens. USNR

04-08 Moored as before. 0745 Mustered the crew at quarters. No unauthorized absentees.

E. J. Gallagher  
Ens. USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR



ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) SAT 21 OCT 61  
(Day) (Date) (Month) 19 61

08-12 Moved as before. 0826 YOG 62 alongside to starboard. 0845 commenced taking on fuel. 0940 completed taking on fuel, having received 20,476 gallons USKO. 0944 YOG 62 underway from alongside. 1000 Made daily inspection of magazines and smokeless powder samples, conditions normal.

B.T. Bremer  
Ltjg USN

12-16. Moved as before.

B.T. Bremer  
Ltjg USN

16-20 Moved as before. 1715 COMDESLANT broke his flag on the USS Yosemite (AD 19) and assumed SOPA, NARRABAY SUBAREA.

B.T. Bremer  
Ltjg USN

20-24 Moved as before.

B.T. Bremer  
Ltjg USN

APPROVED:

A. H. Craig

U. S. N. COMMANDING

EXAMINED:

Roburn

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOY DD 629 ZONE DESCRIPTION +1 (Q) DATE SUN 22 OCT, 19 61  
AT/PASSAGE FROM BERTH 161, PIER 1, U.S. NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	325	10	6	OVC	29.75	50	47						
02	330	9	6	OVC	29.75	49	46						
03	330	10	6	OVC	29.75	48	45						
04	325	10	5	OVC	29.76	48	45						
05	315	15	5	OVC	29.72	48	45						
06	330	15	4	Rain	29.74	48	46						
07	315	15	5	OVC	29.76	48	46						
08	310	15	5	OVC	29.77	48	46						
09	330	15	4	OVC	29.78	48	46						
10	330	15	5	OVC	29.78	47	45						
11	330	12	6	OVC	29.78	47	45						
12	310	12	6	OVC	29.78	47	46						
13	310	15	6	OVC	29.77	55	54						
14	310	15	6	Rain	29.77	55	54						
15	310	15	5	Rain	29.77	55	55						
16	310	15	5	OVC	29.77	54	54						
17	310	15	5	OVC	29.77	54	53						
18	310	15	5	OVC	29.76	54	53						
19	310	15	5	Rain	29.75	52	52						
20	325	15	5	OVC	29.78	47	47						
21	326	15	5	OVC	29.81	46	46						
22	336	20	5	OVC	29.85	46	45						
23	340	15	5	OVC	29.89	48	46						
24	342	10	6	OVC	29.93	48	45						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED  
0000-2400

FUEL CONSUMED  
0000-2400

REMARKS

00-04 Moved port side to pier #1 in berth 161 U.S. NAVAL BASE NEWPORT R.I. with standard derrick mooring lines doubled. Material condition YOK and condition of readiness five (V) are set. Receiving various services from the pier. Ships present include various units of the U.S. ATLANTIC FLEET and various harbor and district craft. SOPA is COMDESLANT in BFL the USS YOSEMITE (AD 19) at pier #2

BT Bremer  
Ltjg USN.

04-08. Moved as before.

BT Bremer  
Ltjg USN.

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR



ADDITIONAL REMARKS

UNITED STATES SHIP

ABBOY DD 629

SUN  
(Day)

22  
(Date)

OCT  
(Month)

1961

08-12 Moored as before. Mastered the crew on station  
absentees none. 0845 Made daily inspections of magazines  
and smokeless powder samples, condition normal

B. F. Bremer  
Ltjg USN

12-16 Moored as before.

B. F. Bremer  
Ltjg USN

16-20 Moored as before.

B. F. Bremer  
Ltjg USN

20-24 Moored as before.

B. F. Bremer  
Ltjg USN

APPROVED:

A. H. Craig

U. S. N. COMMANDING

EXAMINED:

Coburn LTJG

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION Q + 4 DATE MON. 23 OCT., 19 61  
AT/PASSAGE FROM BERTH 161 PIER 1, U.S. NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbol)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	330	12	7	OVC	29.97	47	44						
02	330	12	7	BKN	29.99	47	43						
03	320	14	6	BKN	30.02	47	43						
04	340	15	6	BKN	30.04	46	43						
05	350	10	5	BKN	30.04	46	43						
06	350	10	5	OVC	30.04	46	44						
07	000	17	5	OVC	30.06	46	44						
08	045	17	5	OVC	30.08	46	43						
09	065	28	6	OVC	30.07	47	44						
10	028	22	6	OVC	30.04	48	45						
11	028	18	5	OVC	30.03	48	46						
12	030	19	6	OVC	30.03	47	45						
13	040	25	5	OVC	30.00	48	46						
14	025	25	5	OVC	30.02	48	46						
15	020	28	7	OVC	30.02	47	45						
16	015	20	7	OVC	30.06	46	44						
17	045	12	7	OVC	30.05	46	44						
18	015	13	7	OVC	30.04	46	44						
19	000	13	7	OVC	30.02	43	41						
20	340	12	7	OVC	30.03	47	44						
21	350	10	7	OVC	30.04	48	45						
22	315	12	7	OVC	30.04	48	45						
23	310	10	7	OVC	30.04	48	45						
24	310	9	7	OVC	30.04	49	46						

POSITION ZONE TIME

0800 L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_

1200 L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_

2000 L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)

SET \_\_\_\_\_  
DRIFT \_\_\_\_\_

POSITION BETWEEN FIXES

MID. L \_\_\_\_\_  
MID. λ \_\_\_\_\_

MILES STEAMED  
0000-2400

FUEL CONSUMED  
0000-2400

REMARKS

00-04 Moored portside to pier #1 in berth 161 with standard destroyer mooring lines doubled and stern lines forward and aft. Material condition Yoke and readiness condition five (5) are set. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Atlantic Fleet and various harbor and district craft. SOPA is COMDESLANT in the USS YOSEMITE (AD 19)

BT Bremer  
Ltjg USN

04-08 Moored as before. 0745 Mustered the crew at quarters absentees: CUMMINGS, M.A. RDSA 514-23-35 USN since 0730 this date.

BT Bremer  
Ltjg USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR



ADDITIONAL REMARKS

UNITED STATES SHIP Abbot (DD629) Monday 23 Oct 1961  
(Day) (Date) (Month)

08-12 Moored as before. 0805 Stationed the Special Sea and Anchor detail.  
0810 Made all preparations for getting underway. DRAFT 13 ft 8 in  
forward and aft. 0838 Underway in accordance with DesLant Engineering  
School Instructions. Maneuvering at various courses and speeds to  
conform to Channel. 0858 Rose Island light abeam to Port. 0901  
Black buoy No. 11 Abeam to Starboard. 0906 Castle Hill Abeam to  
Port. 0916 Brenton Reef Lightship Abeam to Starboard. 0921 Made  
daily inspection of magazines and smokeless powder samples. Conditions  
Normal. Conducted weekly test of magazine sprinkler system.  
Condition satisfactory. 0942 Commenced steering various courses  
at various speeds while conducting Engineering Casualty Control  
Drills. 1022 Commenced steering magnetic courses.

C. F. Egan  
Ensign, USNR.

12-16 Steaming as before. 1345 Resumed steering true courses by Gyro-  
Compass. 1505 Set Special Sea and Anchor detail. Passed Brenton Reef  
Lightship Abeam to Port. Commenced steering various courses and  
speeds to conform to Channel. 1519 Passed Castle Hill Abeam to  
Starboard. 1526 Passed black buoy No. 11 Abeam to Port. 1531  
Rose Island Light Abeam to Starboard. 1558 Moored port side to  
Pier 1, berth 121, at U.S. Naval Base, Newport, R.I., using standard  
Destroyer mooring lines forward and aft.

C. F. Egan  
Ensign, USNR.

16-20 Moored as before. 1611 Secured the Special Sea and Anchor  
detail.

C. F. Egan  
Ensign, USNR.

20-24 Moored as before.

C. F. Egan  
Ensign, USNR.

APPROVED:

A. W. Craig

U. S. N. COMMANDING

EXAMINED:

Robert L. H. 196

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS Abbot (DD-629) ZONE DESCRIPTION Q 14 DATE Tuesday 24 October, 19 61  
AT/PASSAGE FROM Berth 121, Pier 1, U.S. Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbol)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	360	5	7	ovc	30.02	49	45						
02	360	5	7	ovc	30.00	50	46						
03	360	5	7	ovc	30.00	50	46						
04	330	5	7	ovc	30.00	50	46						
05	340	6	7	ovc	30.01	50	46						
06	310	10	7	ovc	30.02	49	45						
07	270	13	7	ovc	30.03	48	45						
08	230	15	7	ovc	30.04	44	40						
09	200	16	7	ovc	30.05	45	43						
10	170	17	7	ovc	30.04	45	42						
11	130	18	7	ovc	30.04	46	43						
12	085	17	7	ovc	30.02	45	44						
13	010	14	8	ovc	30.00	48	45						
14	005	17	8	BKN	29.98	51	46						
15	000	12	8	BKN	29.97	55	51						
16	010	10	8	BKN	29.96	55	50						
17	015	8	8	BKN	29.94	54	51						
18	015	7	6	BKN	29.93	54	53						
19	031	7	6	BKN	29.95	52	52						
20	020	7	5	BKN	29.96	53	52						
21	030	5	5	BKN	29.98	52	52						
22	050	7	4	BKN	29.98	50	50						
23	030	7	4	BKN	29.98	50	50						
24	010	5	3	BKN	29.99	50	50						

POSITION ZONE TIME

0800  
L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_

1200  
L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_

2000  
L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
SET \_\_\_\_\_  
DRIFT \_\_\_\_\_

POSITION BETWEEN FIXES

MID. L. \_\_\_\_\_  
MID. λ. \_\_\_\_\_

MILES STEAMED  
0000-2400  
\_\_\_\_\_

FUEL CONSUMED  
0000-2400  
\_\_\_\_\_

REMARKS

00-04 Moored Port Side, Pier 1, U.S. Naval Base, Newport, R.I., using  
STANDARD DESTROYER mooring lines doubled plus storm lines forward and aft.  
Mustered Material Condition YOKÉ and Condition of Readiness FIVE per set.  
Boiler No. 2 and Ship Service Generator No. 1 are on the line for auxiliary purposes.  
Ship's Present include various units of the U.S. Atlantic Fleet and local  
Service Craft. SOPA is COMDESLANT in USS Yosemite (AO-19).

C. F. Egan  
Ensign USN

04-08 Moved as before. 0745 Mustered the Crew at Quarters.  
Absentees: Cummings, M. A., RDSA; 514-23-35, USN.

C. F. Egan  
Ensign USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR



ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) TUES 24 OCT, 19 61  
(Day) (Date) (Month)

08-12 Moored as before. 0800 Set special sea and anchor detail. 0820 Completed all preparations for getting underway. Draft: forward 13'8", aft 13'7". 0821 Underway in accordance with DESLANT Engineering School operating schedule. Manoeuvring to clear pier area. Captain and navigator on bridge. 1000 <sup>set</sup> ~~was~~ <sup>was</sup> conn. 0833 Steaming various courses at standard speed while standing out of Newport harbor. 0901 Passed Burton Reef lightship abeam to starboard; <sup>Entered International Waters.</sup> ~~Entered International Waters.~~ 0901 <sup>Entered International Waters.</sup> ~~Entered International Waters.~~ set underway steaming watch. 0910 Made daily inspection of magazines and smokeless powder samples; conditions normal. 0920 Commenced Engineering casualty control drills; manoeuvring on various courses at various speeds during drills.

*W. Bayley*  
Ensign USN

12-16 Steaming as before. 1445 Seamed from Engineering casualty control drills. 1502 Passed Burton Reef lightship abeam to port. Set special sea and anchor detail. Entered inland waters; steering various courses at various speeds while entering Newport harbor. Captain and navigator on the bridge; OOD at the conn. 1530 Manoeuvring to enter pier area. 1540 Moored port side to pier 1, berth 141, U.S. Naval Base, Newport, R.I. using standard destroyer mooring lines supplied. 1547 Seamed special sea and anchor detail; set regular inport watch. SOPA is CAPT D.G. Dockum, USN, ComDes DevBrv Two.

*W. Bayley*  
Ensign USN

16-20 Moored as before. 1600 Pursuant to orders of the Commanding Officer, NOBEL, R. R., 365-24-73, SM2, USN, and STOWE, A. R., 1539-35-85, SOB 3, USN, left the ship to report to the senior shore patrol officer Newport, R.I. for 15 days temporary additional duty. 1625 BRADLEY, M. J., 902-95-54, RM3, USN, returned to the ship, having completed eight days shore patrol duty. 1835 McAULIFFE, D. J., 513-67-38, SFP2, USN returned to the ship, having completed thirteen days shore patrol duty.

*W. Bayley*  
Ensign USN

20-24 Moored as before. 2400, in accordance with orders of Commanding Officer USS Abbot (DD-629), ENS Peter B. Ellis, 648 562, USN returned to the ship having completed eight weeks temporary additional duty.

*W. Bayley*  
Ensign USN

APPROVED:

EXAMINED:

*A. W. Craig*

U. S. N. COMMANDING

*Robert L. St. G.*

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION Q+4 DATE WED 25 OCT, 1961  
(Day) (Date) (Month)  
AT/PASSAGE FROM BERTH 141 PIER NEWPORT, R.I. TO R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	005	5	8	CLR	30.00	48	49						
02	015	5	8	CLR	30.00	47	47						
03	020	5	8	CLR	30.00	48	48						
04	040	5	8	CLR	30.02	48	46						
05	070	4	8	CLR	30.04	46	46						
06	085	4	8	CLR	30.05	47	46						
07	090	4	8	CLR	30.07	47	45						
08	100	4	8	CLR	30.08	46	46						
09	115	3	8	CLR	30.09	50	49						
10	125	4	8	CLR	30.10	51	50						
11	140	4	8	CLR	30.10	51	50						
12	150	3	8	CLR	30.08	52	50						
13	156	4	8	CLR	30.07	54	51						
14	160	6	8	CLR	30.05	56	54						
15	155	7	8	CLR	30.03	57	55						
16	140	10	8	CLR	30.02	58	58						
17	148	8	8	CLR	30.01	58	58						
18	150	11	8	CLR	30.00	57	56						
19	160	10	7	CLR	29.98	57	56						
20	160	10	7	BKN	29.97	57	56						
21	150	8	6	BKN	29.95	57	57						
22	135	7	6	BKN	29.93	57	57						
23	130	5	6	BKN	29.91	57	57						
24	128	5	5	BKN	29.90	56	55						

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED  
0000-2400

FUEL CONSUMED  
0000-2400

REMARKS

00-04 Moved port side to ~~#55~~ Pier 1, berth 141, US Naval Base, Newport, R.I., using standard destroyer mooring lines described. Number two boiler and number one generator on the line. Material condition YOKE and condition of readiness are set. Ships present include various units of US Atlantic Fleet and various district craft. SOPA is CAPT D. G. DOCKUM, USN, COMDT DEVRG TWO.

CT Bayley, Ens USN

04-08 Moved as before. 0409 Commenced taking on fresh water from the pier. 0437 Completed taking on fresh water, having received 8,404 gallons. 0745 Mustered the crew at quarters. Unauthorized absentees: GUTHARY, H-G., 525 50 06, SN, USN, DA since 0730 this date.

CT Bayley  
Ens USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR



ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT DD629 WED 25 OCT 1961  
(Day) (Date) (Month)

08-12 Moored as before. Set the special sea and anchor detail. Captain and Navigator on the bridge. 0804 Harold G. GOTHARD 525 50 06 SN USN returned aboard having been UA since 0730 this date. 0827 Underway in accordance with DESLAN - ENGINEERING SCHOOL'S schedule. Maneuvering on various courses and speeds while clearing pier and standing out the channel. 0847 Rose Island light abeam to port at 300 yards. 0851 Buoy #11 abeam to starboard at 200 yards. 0857 Castle Hill light abeam to port 300 yards. 0905 Secured the special sea and anchor detail. 0906 Brenton Reef light ship abeam to port at 150 yards. 0908 Commenced engineering drill, maneuvering on various courses and speeds while conducting drills and remaining in northern OP area. 1000 Made daily inspection of magazines and smokeless powder samples, conditions, normal.

BT Bremer  
Ltjg USN

12-16. Moored as before. Steaming as before. 1446 Completed engineering drills. Made preparations for entering port. 1456 Stationed the special sea detail, maneuvering on various courses and speeds while approaching channel and standing into port. 1458 Brenton Reef light ship abeam to port at 1000 yards. 1507 Castle Hill light abeam to starboard 200 yards. 1513 Buoy #11 abeam to port at 200 yards. 1517 Rose Island light abeam to starboard at 200 yards. 1529 Commenced approach on pier 1. Maneuvering on various courses and speeds while making the approach. 1534 Moored portside to pier #1, in berth 141, U.S. Naval Base Newport R.I. with standard destroyer mooring lines doubled. 1538 Secured the special sea and anchor detail. 1548 To 177 alongside to starboard. 1557. Commenced taking on fuel.

BT Bremer  
Ltjg USN

16-20 Moored as before. 1706 Completed taking on fuel, having received 23,652 gallons. NSFC 1835 To 177 underway from alongside. 1850 USS Hagelwood (DD531) moored alongside to starboard.

BT Bremer  
Ltjg USN

20-24. Moored as before

BT Bremer  
Ltjg USN

APPROVED:

A. H. Craig

U. S. N. COMMANDING

EXAMINED:

Roburn 1716

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOG DDG 29 ZONE DESCRIPTION +4 (Q) DATE THURS 26 OCT, 1961  
AT/PASSAGE FROM BERTH 141 PIER 1, U.S. NAVAL BASE, NORFOLK, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	150	5	5	CLR	29.90	58	56						
02	150	7	5	CLR	29.91	56	54						
03	140	7	5	CLR	29.91	56	54						
04	135	7	5	CLR	29.92	57	53						
05	125	9	5	CLR	29.92	57	53						
06	120	10	5	CLR	29.93	58	55						
07	110	12	6	CLR	29.95	59	56						
08	110	13	7	CLR	29.95	59	56						
09	105	14	7	CLR	29.96	60	56						
10	100	16	8	CLR	29.97	60	57						
11	095	15	8	CLR	29.99	61	58						
12	090	15	8	CLR	29.99	62	60						
13	100	13	8	CLR	30.00	64	61						
14	110	12	8	CLR	30.01	63	60						
15	120	11	8	CLR	30.02	61	58						
16	135	10	8	CLR	30.04	60	57						
17	160	10	7	CLR	30.02	59	55						
18	180	11	7	CLR	30.00	57	54						
19	195	11	6	CLR	29.98	57	53						
20	190	15	6	CLR	29.96	55	55						
21	185	18	5	CLR	29.94	55	55						
22	170	15	5	CLR	29.92	53	53						
23	165	12	5	CLR	29.90	52	52						
24	160	10	5	CLR	29.90	50	51						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
----------------------------

FUEL CONSUMED 0000-2400
----------------------------

REMARKS

00-04 Moved portside to pier 1 in berth 141 in a  
nest of 2 destroyer types with standard destroyer  
mousing lines doubled. USS HARWOOD (DD 531) moved  
alongside to starboard. Boilers #2 and #4 generators 1 and  
2 supplying ship's power and electric lights. Material Condition  
YORK and readiness condition five are set. Ships present  
various units of the U.S. ATLANTIC Fleet and various  
harbor and district craft. SOPA is COMDESRANT in the USS  
YOSAMITE (AD 19).

B. F. Bremer  
Ltjg USN

0608 Moved as before. 0608 lighted fire to #4 boiler 0745  
mustered the crew at quarters, absentees: none.

B. F. Bremer  
Ltjg USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR



ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) Thursday 26 October, 19 61  
(Day) (Date) (Month)

08-12 Moored as before. 0803 Set the Special Sea Detail. Captain and Navigator on the bridge. 0805 U.S.S. Hagleywood (DD-531) underway. 0824 Underway in accordance with Descent Engineering School Instruction (Underway Phase) Manuevering on various courses and speeds to conform with channel. 0845 Passed Rose Island Light abeam to port. 0850 Passed buoy #11 abeam to starboard. 0855 Castle Hill Light abeam to port. 0905 Brenton Reef Light abeam to starboard. Secured the Special Sea Detail. 0915 Commenced Engineering Casualty Drills. 1030 Made daily inspection of magazine and smokeless powder samples.

E.J. Gallagher  
Ens. USNR

12-16 Steaming as before. 1455 Set the Special Sea Detail. Completed preparations for entering port. Manuevering on various courses and speeds to conform with Channel. Brenton Reef Light abeam to port. 1505 Castle Hill Light abeam to starboard. 1511 Buoy #11 abeam to port. 1516 Rose Island Light abeam to starboard. 1520 Captain has the conn. 1535 Moored port side to Pier 1 in berth 141 at U.S. Naval Base, Newport, R.I. with standard destroyer mooring lines, doubled. 1538 Secured the Special Sea Detail.

E.J. Gallagher  
Ens. USNR

16-20 Moored as before.

E.J. Gallagher  
Ens. USNR

20-24 Moored as before.

E.J. Gallagher  
Ens. USNR

APPROVED:

EXAMINED:

A. H. Craig

U. S. N. COMMANDING

Robert L. D. G.

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION Q + 4 DATE Friday 27 October, 19 61  
AT/PASSAGE FROM Berth 141, Pier 1 to U.S. Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	170	7	5	CLR	29.90	49	49						
02	160	5	5	CLR	29.90	49	49						
03	160	5	5	CLR	29.91	48	47						
04	140	5	5	CLR	29.93	47	45						
05	140	4	5	CLR	29.94	45	44						
06	180	2	6	CLR	29.96	46	45						
07	200	5	7	CLR	29.98	44	43						
08	210	7	7	CLR	30.00	46	44						
09	230	7	7	CLR	30.02	48	47						
10	250	10	7	CLR	30.04	50	49						
11	280	17	8	CLR	30.06	48	47						
12	290	16	8	CLR	30.08	52	51						
13	290	16	8	CLR	30.07	54	53						
14	300	15	8	CLR	30.06	56	54						
15	300	13	8	CLR	30.05	57	56						
16	290	10	8	CLR	30.05	57	56						
17	270	10	8	CLR	30.05	57	56						
18	250	10	8	CLR	30.05	56	55						
19	230	12	8	CLR	30.04	55	54						
20	240	12	7	CLR	30.03	53	52						
21	245	12	7	CLR	30.02	51	51						
22	246	12	7	CLR	30.00	48	47						
23	248	12	7	CLR	30.02	47	46						
24	250	9	7	CLR	30.04	45	45						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
----------------------------

FUEL CONSUMED 0000-2400
----------------------------

REMARKS

00-04 Moored port side to pier 1 in berth 141 at U.S. Naval Base Newport, R.I., with standard destroyer mooring lines, doubled. Boiler #2 and generator #1 are on the line. This ship receiving various utilities from the pier. Material Condition Yoke and Condition of readiness are set. Ships present include various units of U.S. Atlantic Fleet and local service craft. SOPA is ComDesant aboard the U.S.S. Yosemite (AD-19).

Eugene J. Gallagher  
Ens. USNR

04-08 Moored as before. 0600 1st fires under #4 boiler. 0745 Mustered the crew at quarters. Absentees: Faircloth, A.L. 528 1913, BT2 USN, Collins, D.H. 462 7334, BT3, USN, Lesko, G.A. 520 6030, FN, USNR, Howe, M.L. 370 8084, BTFN, USN since 0730 this date.

Eugene J. Gallagher  
Ens. USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR



ADDITIONAL REMARKS

UNITED STATES SHIP

Abbot (DD-629)

FRIDAY 27 OCT 1961  
(Day) (Date) (Month)

0842 Moored as before. 0806 Set the Special Sea and Anchor detail.  
0833 Underway in accordance with DeLant Engineering School Instruction  
Maneuvering on various courses and speeds to conform to the Channel.  
0854 Passed Rose Island Light Abeam to Port. 0858 Passed black buoy No. 11  
Abeam to Starboard. 0904 Passed Castle Hill Light Abeam to Port. 0911  
Secured the Special Sea and Anchor Detail. Maneuvering on various courses  
and speeds while conducting Engineering Casualty Control Drills.  
0913 Passed Brenton Reef Lightship Abeam to Starboard. 0945 Made  
daily inspection of magazines and smokeless powder samples. Conditions  
Normal. Made weekly test of sprinklers, Groups 4 and 5 magazines.  
Conditions Satisfactory.

C. F. Egan  
Ensign USNR

12-16 Steaming as before. 1447 Set Special Sea Detail. 1450 Passed  
Brenton Reef Lightship Abeam to Port. 1457 Passed Castle Hill Light  
Abeam to Starboard. 1502 Passed black buoy No. 11 Abeam to Port.  
1508 Passed Rose Island Light Abeam to Starboard. 1526 Moored Port  
Side to USS COMPTON DD705 in Berth 242, Pier 2, U.S. Naval  
Base, Newport, R.I. Using standard destroyer mooring lines doubled.  
1540 Secured Special Sea Detail

C. F. Egan  
Ensign USNR

16-20 Moored as before.

C. F. Egan  
Ensign USNR

20-24 Moored as before.

C. F. Egan

APPROVED:

A. W. Craig

U. S. N. COMMANDING

EXAMINED:

Roburn LTJG

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS Abbot (DD 629) ZONE DESCRIPTION Q-14 DATE SATURDAY 28 OCT 1961  
AT/PASSAGE FROM Berth 242, Pier 2, U.S. Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	280	9	7	CLR	30.04	45	45						
02	275	9	7	CLR	30.06	46	45						
03	270	9	7	CLR	30.08	48	47						
04	265	8	7	CLR	30.10	48	47						
05	260	8	7	CLR	30.12	49	47						
06	255	9	7	CLR	30.14	50	48						
07	250	10	7	CLR	30.16	50	48						
08	245	10	8	CLR	30.18	51	49						
09	240	11	8	CLR	30.20	51	49						
10	235	11	8	CLR	30.22	52	50						
11	230	11	8	CLR	30.24	52	50						
12	228	12	8	CLR	30.26	53	51						
13	225	13	8	CLR	30.27	53	51						
14	224	14	8	CLR	30.28	54	54						
15	223	15	8	CLR	30.29	54	53						
16	230	14	8	CLR	30.29	55	54						
17	223	14	8	CLR	30.30	54	54						
18	210	12	8	CLR	30.31	53	53						
19	190	10	8	CLR	30.31	53	53						
20	160	10	8	CLR	30.30	54	54						
21	180	13	8	CLR	30.29	53	52						
22	170	13	8	CLR	30.28	52	51						
23	160	12	8	CLR	30.28	52	51						
24	150	11	7	CLR	30.27	51	51						

POSITION ZONE TIME  
0800  
L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_  
1200  
L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_  
2000  
L \_\_\_\_\_ BY \_\_\_\_\_  
λ \_\_\_\_\_ BY \_\_\_\_\_  
LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA  
FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
SET \_\_\_\_\_  
DRIFT \_\_\_\_\_  
POSITION BETWEEN FIXES  
MID. L \_\_\_\_\_  
MID. λ \_\_\_\_\_

MILES STEAMED  
0000-2400

FUEL CONSUMED  
0000-2400

REMARKS

00-04 Moored port side to USS COMPTON DD 705 in Berth 242, Pier 2, U.S. Naval base, Newport, R.I., using STANDARD Destroyer Mooring lines doubled. Modified material condition Yoke and Condition of Readiness Five are set. This ship is on Cold Sea receiving all utilities from Pier Two. Units present include ships of the U.S. Atlantic Fleet and local Service Craft. SARA is Cmdr Des Lant in USS YOSEMITE (AO 19)  
C.F. Egan  
Eng USNR

04-08 Moored as before. 0745 Mustered the Crew at Quarters. Absentees: None.  
C.F. Egan  
Eng USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR



ADDITIONAL REMARKS

UNITED STATES SHIP

ABBOT (DD-629)

SATURDAY 28 OCTOBER 1961  
(Day) (Date) (Month)

PBE

<sup>Monday before</sup>  
08-12 0745 Mustered the crew at quarters. No unauthorized  
absentees. 0825 Ensign Bailey assumed the CDO watch  
0900 Commenced Captain's inspection of messing & bathing  
spaces. 0925 BEARDLEY, J.F., 543 SF 07, SN, USN was transferred to  
USS Yosemite (AD-19) TAD under treatment. ~~1000~~ Made daily  
inspection of magazines & emulsion powder samples. Conditions  
normal. 1017 Secured from Captain's inspection

P.B. Ellis  
ENS. USNR

12-16 Moved as before 1237 Commenced taking on fresh water 1258  
Secured taking on fresh water, 6244 gals. received.

P.B. Ellis  
ENS. USNR

16-20 Moved as before 1050 Mustered the duty damage control party. All  
men present. 1930 Made 8 odds reports to the CDO

P.B. Ellis  
ENS. USNR

20-24 Moved as before

P.B. Ellis  
ENS. USNR

APPROVED:

A. H. Craig

U. S. N. COMMANDING

EXAMINED:

Roburn

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION +5 R DATE SUNDAY 29 OCTOBER, 19 61  
(Day) (Date) (Month)  
AT/PASSAGE FROM BERTH 242, PIER 2 U.S. NAVAL BASE NEWPORT, RHODE ISLAND

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	W	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	150	12	8	CLR	33.29	55	54						
02	170	15	8	CLR	33.29	55	54						
03	175	15	8	CLR	33.28	55	54						
04	185	15	6	OVC	33.27	56	56						
05	180	15	6	OVC	33.25	55	55						
06	180	15	6	OVC	33.23	55	55						
07	190	15	6	OVC	33.21	56	56						
08	210	15	6	OVC	33.19	54	54						
09	230	15	6	OVC	33.17	54	54						
10	240	12	6	OVC	33.15	56	56						
11	250	10	6	OVC	33.14	58	57						
12	255	10	7	CLR	33.15	60	59						
13	230	10	7	CLR	33.17	63	62						
14	210	10	7	CLR	33.18	65	65						
15	190	10	7	CLR	33.19	66	65						
16	170	10	7	CLR	33.20	64	63						
17	160	10	7	CLR	33.19	59	59						
18	150	10	7	CLR	33.18	58	57						
19	150	10	7	CLR	33.17	58	56						
20	145	9	7	CLR	33.15	57	56						
21	150	10	6	OVC	33.13	57	56						
22	160	13	6	OVC	33.11	58	57						
23	175	15	6	OVC	33.09	61	60						
24	180	15	6	OVC	33.07	62	60						

POSITION	ZONE	TIME
0800		
L. _____	BY _____	
λ _____	BY _____	
1200		
L. _____	BY _____	
λ _____	BY _____	
2000		
L. _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L. _____	
MID. λ _____	

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored as before portside to the USS Compton (DD-705) in berth 242 at Destroyer Pier #2, Newport, Rhode Island. ABBOT is outboard ship in a nest of two ships moored to the Compton with standard lines doubled. The plant is cold. Receiving fresh water, electrical power, and telephone service from the pier. SOPA is COMPRESSED AIR. Two aboard the USS PURVIS (DD-709) 0200 All chronometers were set back one hour to +5 R Time zone.

PB Ellis  
ENS. USNR

04-08 Moored as before

PB Ellis  
ENS. USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR



ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) SUNDAY 29 OCTOBER, 19 61  
(Day) (Date) (Month)

08-12 Moved as before 0800 Mustered the crew on stations. NO  
unaccounted or injured absentees 0807 Commenced taking on fresh  
water 0820 Secured taking on fresh water, 4294 gals. received  
0910 Made daily inspection of magazines & ammunitions powder samples  
Conditions normal 1150 USS Abnott (DD-640) moved alongside  
to starboard.

BS Ellis  
ENS USNR

12-16 Moved as before

BS Ellis  
ENS USNR

16-20 Moved as before 1802 Commenced taking on fresh water  
1817 Secured taking on fresh water 5524 gals. received  
1930 Made 8 o'clock report to the CDD

BS Ellis  
ENS USNR

20-24 Moved as before

BS Ellis  
ENS USNR

APPROVED:

EXAMINED:

A. W. Craig

U. S. N. COMMANDING

Robert L. G.

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOT (PP-629) ZONE DESCRIPTION +5R DATE MONDAY 30 OCTOBER, 19 61  
(Day) (Date) (Month)  
AT/PASSAGE FROM NEWPORT R.I. TO \_\_\_\_\_

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	W	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	180	15	8	CLR	29.90	63	63						
02	200	15	8	CLR	29.89	63	63						
03	220	15	8	CLR	29.88	63	62						
04	250	14	8	CLR	29.85	62	60						
05	246	11	8	CLR	29.83	60	59						
06	244	12	8	CLR	29.82	60	59						
07	245	12	8	CLR	29.81	61	60						
08	235	10	8	CLR	29.79	61	60						
09	235	8	8	CLR	29.77	62	61						
10	240	8	8	CLR	29.75	64	64						
11	235	10	8	CLR	29.73	65	65						
12	220	11	8	CLR	29.71	65	65						
13	230	9	8	CLR	29.69	66	64						
14	232	8	8	CLR	29.67	66	64						
15	232	8	7	OVC	29.65	66	64						
16	231	5	7	OVC	29.63	65	64						
17	230	5	7	OVC	29.61	64	63						
18	230	4	7	OVC	29.59	64	62						
19	200	4	7	OVC	29.59	64	62						
20	180	3	7	OVC	29.59	64	63						
21	175	4	7	OVC	29.60	62	61						
22	180	5	7	OVC	29.61	61	60						
23	180	5	7	OVC	29.61	61	60						
24	180	7	7	OVC	29.61	61	60						

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moved as before portside to the USS COMPTON (PD-705) with standard line doubled in a nest of three ships from inboard out: COMPTON, ABBOT, and USS GLENNON (DD-840) at pier #2 at Newport, Rhode Island. ABBOT is in berth #242. The plant is cold. We are receiving water, electrical power, steam, and telephone services from the pier. SOPA is COMDESRVGRV 2 aboard the USS PURVIS (DD-709).

JPB Ellis  
ENS USNR

04-08 Moved as before 0355 Rear Admiral C.H. Lyman, COMDESRV, broke his flag in USS YOSEMITE (AD-19) and assumed SOPA of this area.

JPB Ellis  
ENS USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR



ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT DDG 29 Mon 30 OCT 1961  
(Day) (Date) (Month)

08-12 Moored as before. 0825 USS GLENNON underway from  
alongside to starboard. 0833 USS GREENWOOD (DE 679) moored  
alongside to starboard 0850 Underway to ship berths  
with tug assistance. 0900 Moored portside to the USS  
GLENNON in berth 263 pier #2 with standard des-  
troys mooring lines double. Greenwood moored alongside  
to starboard. 0917 Made daily inspection of magazines  
and smokeless powder samples: conditions normal.

*B. H. Henry*  
LTJG USN

12-16. Moored as before.

*B. H. Henry*  
LTJG USN

16-20. Moored as before.

*B. H. Henry*  
LTJG USN

20-24. Moored as before

*B. H. Henry*  
LTJG USN

APPROVED:

*A. H. Craig*

U. S. N. COMMANDING

EXAMINED:

*Robert* LTJG

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



DECK LOG SHEET—TYPE B

USS ABBOY DDG29 ZONE DESCRIPTION R(5) DATE TOES 31 OCT, 1961  
(Day) (Date) (Month)  
AT/PASSAGE FROM BERTH 263, Pier 1, U.S. NAVAL BASE TO, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	W	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	090	3	7	CLR	29.60	61	61						
02	090	3	7	CLR	29.58	61	60						
03	130	2	7	CLR	29.56	60	60						
04	145	2	7	CLR	29.55	59	59						
05	160	2	7	CLR	29.55	59	58						
06	170	2	7	CLR	29.54	58	58						
07	220	2	7	CLR	29.53	61	61						
08	240	2	7	CLR	29.52	63	62						
09	270	3	7	CLR	29.52	65	64						
10	280	3	7	CLR	29.50	68	67						
11	280	3	7	CLR	29.48	68	66						
12	260	2	8	CLR	29.46	68	66						
13	282	2	8	CLR	29.44	70	68						
14	260	3	8	CLR	29.42	70	68						
15	280	3	8	CLR	29.42	69	67						
16	232	2	8	CLR	29.42	67	67						
17	230	2	8	CLR	29.42	67	67						
18	210	2	8	CLR	29.42	67	66						
19	193	2	8	CLR	29.42	66	65						
20	180	3	8	CLR	29.43	67	65						
21	180	2	8	CLR	29.44	66	65						
22	180	2	8	CLR	29.45	65	64						
23	200	2	8	CLR	29.47	64	63						
24	220	2	8	CLR	29.49	62	62						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL  
2—ELECTRONIC  
3—VISUAL  
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
----------------------------

FUEL CONSUMED 0000-2400
----------------------------

REMARKS

00-04. Moved portside to the USS GLENNON (DD 840) in a nest of 4 ships in berth 263 pier #2 at the U.S. Naval Base Newport R.I. with standard destroyer mooring lines doubled. Ships in the nest from the pier outboard include the USS Yosemite (ADA), USS GLENNON ABBOY and USS Greenwood (DE 679). Decking, stow and electrical power from the pier. Material conducted Yosemite and readiness condition V are set. Ships present include various units of the U.S. ATLANTIC FLEET and various harbor and district craft. SOPA is COMDESLANT in the Yosemite.

*BT*  
*USN*

04-08 Moved as before. 0745 Mustered the crew at quarters; absentees: S.E. BROWN, RD2 523 34 44, USN since 0730 this date.

*BT*  
*USN*

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR



ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) Tuesday 31 October, 19 61  
(Day) (Date) (Month)

08-12 Moored as before. 0807 Bohon, S.E. 523 34 44, RD2, USN, returned aboard, having been AWOL since 0730 this date. 0955 Made daily inspection of magazine and smokeless powder samples. Conditions normal.

Eugene J. Gallagher  
Ens. USNR

12-16 Moored as before.

Eugene J. Gallagher  
Ens. USNR

16-20 Moored as before

Eugene J. Gallagher  
Ens. USNR

20-24 Moored as before.

Eugene J. Gallagher  
Ens. USNR

APPROVED:

EXAMINED:

A. H. Trang

U. S. N. COMMANDING

Bohannan

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH